

Contents

	<i>Page</i>		<i>Page</i>
Preface	iii	Opsyns	27
Related publications	iii	Micros	28
Ordering publications	iv	Creating binary definition files	29
Conventions	v	Using binary definitions files	30
Online information	vii	CPU compatibility checking	30
Reader comments	vii	Multiple references to a definition	30
		Symbols	30
Introduction [1]	1	Macros	31
Manual organization	1	Opdefs	31
New features and modifications	2	Opsyn	31
Capabilities	2	Micros	32
Execution of the CAL assembler	3	The CAL Program [3]	33
Source statement format	3	Program segment	33
Assembler listings format	4	Program module	33
Source statement listing format	5	Global definitions	35
Cross-reference listing format	7	Source statement	36
		New format	37
UNICOS System Information [2]	11	Location field	38
as(1) – CAL command line	12	Result field	38
Interactive assembly	19	Operand field	39
The UNICOS environment	20	Comment field	39
LPP environment variable	20	Old format	40
TMPDIR shell variable	22	Location field	40
MSG_FORMAT error message format	24	Result field	41
TARGET shell variable	24	Operand field	41
Binary definition files	25	Comment field	41
Defining a binary definition file	26	Statement editing	41
Symbols	27	Micro substitution	43
Macros	27	Append	44
Opdefs	27		

	<i>Page</i>		<i>Page</i>
Concatenate	44	Symbol attributes	73
Continuation	44	Address attributes	73
Comment	44	Relative attributes	74
Actual statements and edited statements	45	Redefinable attributes	75
Instructions	46	Symbol reference	75
Assembler-defined instructions	46	Data	76
Pseudo instructions	47	Constants	76
Machine instructions	47	Floating constant	76
User-defined instructions	47	Integer constant	79
Micros	48	Character constants	81
Sections	53	Data items	82
Local sections	54	Floating data item	82
Main sections	54	Integer data item	83
Literals section	54	Character data item	84
Sections defined by the SECTION pseudo instruction	55	Literals	85
Common sections	55	Special elements	89
Section stack buffer	56	Element prefixes	90
Origin counter	58	Parcel-address prefix	91
Location counter	58	Word-address prefix	93
Word-bit-position counter	58	Expressions	94
Force word boundary	59	Add-operator	94
Parcel-bit-position counter	59	Terms	95
Force parcel boundary	59	Prefixed-elements	96
Cray Assembly Language [4]	61	Multiply-operator	97
Register designators	61	Term attributes	97
Vector length register (VL)	65	Expression evaluation	100
Vector mask register (VM)	66	Evaluating immobile and relocatable terms with coefficients	104
Names	67	Expression attributes	110
Symbols	69	Relative attributes	111
Symbol qualification	70	Address attributes	112
Unqualified symbol	70	Truncating expression values	112
Qualified symbols	71	Pseudo Instructions [5]	117
Symbol definition	72	Program control	119

	<i>Page</i>		<i>Page</i>
Loader linkage	119	Specifying local unique character string replacements (LOCAL)	184
Mode control	119	Synonymous operations (OPSYN)	186
Section control	120	Pseudo Instruction Descriptions [A]	189
Message control	121	User Messages [B]	281
Listing control	121	Character Set [C]	353
Symbol definition	122	Symbolic Instruction Summary [D]	359
Data definition	122	Instructions [E]	369
Conditional assembly	123	Common instructions	370
Micro definition	124	CRAY J90 and CRAY Y-MP specific instructions	384
File control	126	CRAY C90 specific instructions	386
Defined Sequences [6]	127	CRAY J90 specific instructions	389
Similarities among defined sequences	128	CRAY T90 specific instructions	390
Editing	128	Bit Matrix multiply instructions	397
Definition format	129	Special register values and logical operators	399
Formal parameters	130	Index	401
Instruction calls	132	Figures	
Interaction with the INCLUDE pseudo instruction	134	Figure 1. Page header format	4
Macros (MACRO)	134	Figure 2. Source statement listing format	5
Macro definition	136	Figure 3. Cross-reference listing format	7
Macro calls	142	Figure 4. CAL program structure	28
Operation definitions (OPDEF)	154	Figure 5. CAL program organization	34
Opdef definition	160	Figure 6. ASCII character with left-justification and blank-fill	87
Opdef calls	166	Figure 7. ASCII character with left-justification and zero-fill	87
Duplication (DUP)	171		
Duplicate with varying argument (ECHO)	174		
Ending a macro or operation definition (ENDM)	177		
Premature exit from a macro expansion (EXITM)	177		
Ending duplicated code (ENDDUP)	178		
Premature exit of the current iteration of duplication expansion (NEXTDUP)	179		
Stopping duplication (STOPDUP)	180		

	<i>Page</i>		<i>Page</i>		
Figure 8.	ASCII character with right-justification and zero-fill	88	Figure 32.	Storage of unlabeled data items	207
Figure 9.	ASCII character with right-justification in 8 bits	88	Figure 33.	Storage of labeled and unlabeled data items	208
Figure 10.	Word/parcel conversion for 6 words	92	Figure 34.	Storage of CDC character data item	208
Figure 11.	Diagram of an expression	94			
Figure 12.	Diagram of a term	94	Tables		
Figure 13.	Address attribute assignment chart	100	Table 1.	Logical and numeric traits	15
Figure 14.	64-bit binary representation of ASCII abc, left-justified	102	Table 2.	List options	17
Figure 15.	64-bit binary representation of 1	102	Table 3.	Register designations	62
Figure 16.	Binary representation of ASCII abc, right-justified in 9 bits	102	Table 4.	Character set	353
Figure 17.	Result of VWD with 9-bit destination field	103	Table 5.	Register entry instructions	359
Figure 18.	64-bit binary representation of the complement of 1	103	Table 6.	Interregister transfers	360
Figure 19.	64-bit binary representation of 1	103	Table 7.	Memory transfers	361
Figure 20.	Binary representation of the complement of 1 stored in the rightmost bits of a 4-bit field	104	Table 8.	Program jumps and exits	362
Figure 21.	Result of VWD with 4-bit destination field	104	Table 9.	Bit count instructions	362
Figure 22.	64-bit binary representation of -1	113	Table 10.	Shift instructions	363
Figure 23.	Truncated value of -1 stored in a 5-bit field	113	Table 11.	Integer arithmetic operations	363
Figure 24.	64-bit binary representation of 5	113	Table 12.	Floating-point operations	364
Figure 25.	Truncated value of 5 stored in a 3-bit field	113	Table 13.	Logical operations	365
Figure 26.	64-bit binary representation of 5	114	Table 14.	Bit matrix multiply instructions	366
Figure 27.	Truncated value of 5 stored in a 2-bit field	114	Table 15.	Pass and breakpoint instructions	366
Figure 28.	BITP example – zoning parcel A	195	Table 16.	Monitor operations	366
Figure 29.	BITP example – parcel b set by VWD instruction	195	Table 17.	Common symbolic machine instructions	370
Figure 30.	BITP example – resetting the pointer	195	Table 18.	CRAY J90 and CRAY Y-MP symbolic machine instructions	384
Figure 31.	BITP example – result of a BITP followed by a VWD	195	Table 19.	CRAY C90 symbolic machine instructions	386
			Table 20.	CRAY J90 symbolic machine instructions	389
			Table 21.	CRAY T90 symbolic machine instructions	390
			Table 22.	Bit matrix multiply symbolic machine instructions	397
			Table 23.	Special register values and logical operators	399