

INDEX

Absolute addresses	Exchanges control	exctl(2)	109
accept(2)	Accepts a connection on a socket	accept(2)	29
Accepts a connection on a socket	Accepts a connection on a socket	accept(2)	29
Access control list	Gets access control list entries for file	getfacl(2)	144
Access control list	Removes an access control list from a file	rmfacl(2)	366
Access control list	Sets access control list for file	setfacl(2)	398
Access permission	Changes the mode of a file	chmod(2)	71
access(2)	Determines accessibility of a file	access(2)	33
Accesses or manipulates network security information	Accesses or manipulates network security information	nsecctl(2)	284
Accesses shared memory identifier	Accesses shared memory identifier	shmget(2)	457
Accesses the message queue	Accesses the message queue	msgget(2)	269
Account IDs	Changes account ID of a process	acctid(2)	42
Account IDs	Changes disk file account ID	chacid(2)	56
Accounting	Enables or disables job accounting	jacct(2)	219
Accounting	Provides multitasking execution overlap profile	mtimes(2)	277
Accounting	Checks status of, enables, and disables process, daemon, and record accounting	acctctl(2)	39
Accounting	Gets process and child process times	times(2)	550
Accounting	Writes an accounting record to the kernel accounting file or to a daemon accounting file	wracct(2)	588
Accounting	Enables or disables process and daemon accounting	dacct(2)	97
Accounting	Controls device accounting	devacct(2)	99
acct(2)	Enables or disables process accounting	acct(2)	37
acctctl(2)	Checks status of, enables, and disables process, daemon, and record accounting	acctctl(2)	39
acctid(2)	Changes account ID of a process	acctid(2)	42
Active categories	Sets active categories of a process	setucat(2)	434
Active compartments	Sets active compartments of the process	setucmp(2)	436
Active security level	Sets the active security level of the process	setulvl(2)	442
adjtime(2)	Corrects the time to allow synchronization of the system clock	adjtime(2)	44
alarm(2)	Sets a process alarm clock	alarm(2)	46
Allocates storage for a file	Allocates storage for a file	ialloc(2)	211
Asynchronous I/O	Performs asynchronous read from a file	reada(2)	333
Asynchronous I/O	Performs asynchronous write on a file	writea(2)	596
Attaches shared memory segment	Attaches shared memory segment	shmat(2)	447
Auditing	Gets security attributes	getsysv(2)	189
Authorized categories	Sets active categories of a process	setucat(2)	434
Authorized compartments	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Authorized compartments	Sets active compartments of the process	setucmp(2)	436
Backdoor channel	Opens a file for reading or writing	open(2)	287
bind(2)	Binds a name to a socket	bind(2)	49
Binds a name to a socket	Binds a name to a socket	bind(2)	49

Block special devices	Unmounts a file system	umount(2)	560
Block special files	Makes a directory or a special or regular file	mknod(2)	257
Block special files	Mounts a file system	mount(2)	262
Blocks	Changes size of secondary data segment	ssbreak(2)	497
brk(2)	Changes data segment space allocation	brk(2)	53
bsdsignal(2)	Changes action associated with a signal	signal(2)	470
bsdsignpause(2)	Releases blocked signals and waits for interrupt	sigsuspend(2)	483
Buffers	Reads from file	read(2)	329
Buffers	Reads or writes to secondary data segment	ssread(2)	500
Calling processes	Executes a file	exec(2)	111
Categories	Sets active categories of a process	setucat(2)	434
chacid(2)	Changes disk file account ID	chacid(2)	56
Changes a directory by using the inode			
number	Changes a directory by using the inode number	chdiri(2)	61
Changes account ID of a process	Changes account ID of a process	acctid(2)	42
Changes action associated with a signal	Changes action associated with a signal	signal(2)	470
Changes data segment space allocation	Changes data segment space allocation	brk(2)	53
Changes disk file account ID	Changes disk file account ID	chacid(2)	56
Changes owner and group of a file	Changes owner and group of a file	chown(2)	75
Changes priority of processes	Changes priority of processes	nice(2)	281
Changes size of secondary data segment	Changes size of secondary data segment	ssbreak(2)	497
Changes the mode of a file	Changes the mode of a file	chmod(2)	71
Changes the name of a file	Changes the name of a file	rename(2)	352
Changes the root directory	Changes the root directory	chroot(2)	79
Changes working directory	Changes working directory	chdir(2)	58
Channels	Creates an interprocess channel	pipe(2)	307
Character special files	Controls device	ioctl(2)	214
Character special files	Makes a directory or a special or regular file	mknod(2)	257
Character special files	Mounts a file system	mount(2)	262
chdir(2)	Changes working directory	chdir(2)	58
chdiri(2)	Changes a directory by using the inode number	chdiri(2)	61
Checkpoints a process, multitask group, or job	Checkpoints a process, multitask group, or job	chkpnt(2)	63
Checks status of, enables, and disables process, daemon, and record accounting	Checks status of, enables, and disables process, daemon, and record accounting	acctctl(2)	39
Child jobs	Gets information about a terminated child job	waitjob(2)	586
Child processes	Waits for a child process to stop or terminate	wait(2)	580
chkpnt(2)	Checkpoints a process, multitask group, or job	chkpnt(2)	63
chmem(2)	Retrieves or modifies system physical memory availability	chmem(2)	69
chmod(2)	Changes the mode of a file	chmod(2)	71
chown(2)	Changes owner and group of a file	chown(2)	75
chroot(2)	Changes the root directory	chroot(2)	79
Clock ticks	Gets process and child process times	times(2)	550
Clocks	Gets or sets date and time	gettimeofday(2)	194
Clocks	Corrects the time to allow synchronization of the system clock	adjtime(2)	44
Clocks	Sets a process alarm clock	alarm(2)	46

Clocks	Gets time	time(2)	548
close(2)	Closes a file descriptor	close(2)	81
Closes a file descriptor	Closes a file descriptor	close(2)	81
cmpext(2)	Compares the supplied character sequence with the privilege text of the calling process	cmpext(2)	82
Compares the supplied character sequence with the privilege text of the calling process	Compares the supplied character sequence with the privilege text of the calling process	cmpext(2)	82
Compartments	Sets file security label and security flag attributes	setdevs(2)	395
Compartments	Sets file compartments	setfcmp(2)	402
Compartments	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Compartments	Sets security validation attributes of the process	setusrv(2)	444
Configurable limits	Sets resource limits	limit(2)	227
Configurable limits	Determines value of file or directory limit	pathconf(2)	299
connect(2)	Initiates a connection on a socket	connect(2)	84
Connection acceptance	Accepts a connection on a socket	accept(2)	29
Connections	Manages pty reconnection	ptyrecon(2)	320
Controls and reports the status of major guest system functions	Controls and reports the status of major guest system functions	guestctl(2)	202
Controls device	Controls device	ioctl(2)	214
Controls device accounting	Controls device accounting	devacct(2)	99
Controls execution of processes	Controls execution of processes	suspend(2)	518
Controls open files	Controls open files	fcntl(2)	121
Corrects the time to allow synchronization of the system clock	Corrects the time to allow synchronization of the system clock	adjtime(2)	44
cpselect(2)	Selects which processors may run the process	cpselect(2)	88
CPU allocation policy	Returns or sets information on the CPU allocation policy	policy(2)	312
CPU resources	Obtains current resource limit information	getlim(2)	160
CPU time	Sets user-controllable resource limits	setlim(2)	411
creat(2)	Creates a new file or rewrites an existing one	creat(2)	90
Creates a link to a file	Creates a link to a file	link(2)	235
Creates a multitasking process	Creates a multitasking process	_tfork(2)	545
Creates a new file or rewrites an existing one	Creates a new file or rewrites an existing one	creat(2)	90
Creates a new process	Creates a new process	fork(2)	131
Creates a new process in a memory efficient way	Creates a new process in a memory efficient way	vfork(2)	577
Creates a pair of connected sockets	Creates a pair of connected sockets	socketpair(2)	495
Creates an endpoint for communication	Creates an endpoint for communication	socket(2)	488
Creates an interprocess channel	Creates an interprocess channel	pipe(2)	307
Creates session and sets process group ID	Creates session and sets process group ID	setsid(2)	430
Current operating system	Gets name of current operating system	uname(2)	562
cutimes(2)	Updates user execution time	cutimes(2)	94
dacct(2)	Enables or disables process and daemon accounting	dacct(2)	97

Daemons	Checks status of, enables, and disables process, daemon, and record accounting	acctctl(2)	39
Daemons	Enables or disables process and daemon accounting	dacct(2)	97
Data migration	Sets and gets data migration retrieval mode	dmmode(2)	102
Data migration	Processes offline file requests	dmofrq(2)	103
Data segments	Changes data segment space allocation	brk(2)	53
Dates	Gets or sets date and time	gettimeofday(2)	194
Dates	Sets time	stime(2)	517
Detaches shared memory segment	Detaches shared memory segment	shmdt(2)	455
Determines accessibility of a file	Determines accessibility of a file	access(2)	33
Determines value of file or directory limit	Determines value of file or directory limit	pathconf(2)	299
devacct(2)	Controls device accounting	devacct(2)	99
Device accounting	Controls device accounting	devacct(2)	99
Device control functions	Controls device	ioctl(2)	214
Device numbers	Gets device number or driver entry	getdevn(2)	143
Device numbers	Changes a directory by using the inode number	chdiri(2)	61
Device special files	Sets file security label and security flag attributes	setdevs(2)	395
Devices	Opens a file by using the inode number	openi(2)	297
Directories	Reads and formats directory entries as file system independent	getdents(2)	141
Directories	Makes a directory	mkdir(2)	254
Directories	Makes a directory or a special or regular file	mknod(2)	257
Directories	Removes a directory	rmdir(2)	363
Directories	Changes working directory	chdir(2)	58
Directories	Changes a directory by using the inode number	chdiri(2)	61
Directory entries	Creates a link to a file	link(2)	235
Directory entries	Removes directory entry	unlink(2)	564
Directory limits	Determines value of file or directory limit	pathconf(2)	299
Discretionary access control	Removes an access control list from a file	rmfacl(2)	366
Discretionary access control	Sets access control list for file	setfacl(2)	398
Disk files	Changes disk file account ID	chacid(2)	56
Disk quotas	Manipulates file system quotas	quotactl(2)	322
dmmode(2)	Sets and gets data migration retrieval mode	dmmode(2)	102
dmofrq(2)	Processes offline file requests	dmofrq(2)	103
Driver names	Gets device number or driver entry	getdevn(2)	143
dup(2)	Duplicates an open file descriptor	dup(2)	107
Duplicates an open file descriptor	Duplicates an open file descriptor	dup(2)	107
Effective group IDs	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
Effective group IDs	Sets real or effective group ID	setregid(2)	423
Effective group IDs	Sets user or group IDs	setuid(2)	438
Effective group IDs	Creates a new file or rewrites an existing one	creat(2)	90
Effective user IDs	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
Effective user IDs	Sets real or effective user ID	setreuid(2)	426
Effective user IDs	Sets user or group IDs	setuid(2)	438
Effective user IDs	Creates a new file or rewrites an existing one	creat(2)	90
Enables or disables job accounting	Enables or disables job accounting	jacct(2)	219
Enables or disables process accounting	Enables or disables process accounting	acct(2)	37

Enables or disables process and daemon		
accounting	Enables or disables process and daemon accounting	dacct(2) 97
Entries	Makes security log entry	slgentry(2) 486
errno	Introduces system calls and error numbers	intro(2) 1
Error codes	Introduces system calls and error numbers	intro(2) 1
Error returns	Introduces system calls and error numbers	intro(2) 1
Examines and changes blocked signals	Examines and changes blocked signals	sigprocmask(2) 479
Examines or changes action associated		
with a signal	Examines or changes action associated with a signal	sigaction(2) 462
Examines synchronous I/O multiplexing	Examines synchronous I/O multiplexing	select(2) 374
Exchanges control	Exchanges control	exctl(2) 109
exctl(2)	Exchanges control	exctl(2) 109
exec(2)	Executes a file	exec(2) 111
execl(2)	Executes a file	exec(2) 111
execl(2)	Executes a file	exec(2) 111
execlp(2)	Executes a file	exec(2) 111
Executes a file	Executes a file	exec(2) 111
Execution	Selects which processors may run the process	cpselect(2) 88
Execution time	Updates user execution time	cutimes(2) 94
Execution time profile	Generates an execution time profile	profil(2) 314
execv(2)	Executes a file	exec(2) 111
execve(2)	Executes a file	exec(2) 111
execvp(2)	Executes a file	exec(2) 111
_exit(2)	Terminates process	exit(2) 118
exit(2)	Terminates process	exit(2) 118
fchmod(2)	Changes the mode of a file	chmod(2) 71
fchown(2)	Changes owner and group of a file	chown(2) 75
fcntl(2)	Controls open files	fcntl(2) 121
fgetpal(2)	Gets the privilege assignment list (PAL) and privilege sets of a file	fgetpal(2) 130
FIFO special files	Makes a directory or a special or regular file	mknod(2) 257
FIFO special files	Opens a file for reading or writing	open(2) 287
File access time	Sets file access and modification times	utime(2) 573
File concatenation	Joins files	join(2) 221
File creation masks	Sets and gets file creation mask	umask(2) 558
File descriptors	Duplicates an open file descriptor	dup(2) 107
File descriptors	Synchronizes the in-core state of a file with that on disk	fsync(2) 138
File descriptors	Opens a file for reading or writing	open(2) 287
File descriptors	Examines synchronous I/O multiplexing	select(2) 374
File descriptors	Closes a file descriptor	close(2) 81
File limits	Determines value of file or directory limit	pathconf(2) 299
File links	Makes a symbolic link to a file	symlink(2) 522
File names	Changes the name of a file	rename(2) 352
File pointers	Moves read/write file pointer	lseek(2) 249
File requests	Processes offline file requests	dmofrq(2) 103
File security	Gets file security attributes	secstat(2) 371
File security	Sets security level of a file	setflvl(2) 407
File status flags	Opens a file for reading or writing	open(2) 287

File system quotas	Manipulates file system quotas	quotactl(2)	322
File systems	Reads and formats directory entries as file system independent	getdents(2)	141
File systems	Gets file system information	statfs(2)	509
File systems	Gets file system type information	sysfs(2)	533
File systems	Gets file system statistics	ustat(2)	571
Files	Controls open files	fcntl(2)	121
Files	Gets the privilege assignment list (PAL) and privilege sets of a file	getpal(2)	167
Files	Allocates storage for a file	ialloc(2)	211
Files	Sets metadata for a file	lsetattr(2)	252
Files	Makes a directory or a special or regular file	mknod(2)	257
Files	Sets file compartments	setfcmp(2)	402
Files	Sets file security flags	setfflg(2)	405
Files	Gets file status	stat(2)	503
Files	Gets file system information	statvfs(2)	514
Files	Truncates a file	trunc(2)	552
Files	Writes on a file	write(2)	590
Files	Performs asynchronous write on a file	writea(2)	596
Files	Changes owner and group of a file	chown(2)	75
fjoin(2)	Joins files	join(2)	221
Flags	Opens a file for reading or writing	open(2)	287
Flags	Sets file security flags	setfflg(2)	405
Flushes system buffers out of main memory			
memory	Flushes system buffers out of main memory	sync(2)	526
fork(2)	Creates a new process	fork(2)	131
fpathconf(2)	Determines value of file or directory limit	pathconf(2)	299
fsecstat(2)	Gets file security attributes	secstat(2)	371
fsetpal(2)	Sets the privilege assignment list (PAL) and privilege sets of a file	fsetpal(2)	136
fstat(2)	Gets file status	stat(2)	503
fstatfs(2)	Gets file system information	statfs(2)	509
fstatvfs(2)	Gets file system information	statvfs(2)	514
fsync(2)	Synchronizes the in-core state of a file with that on disk	fsync(2)	138
Generates an execution time profile	Generates an execution time profile	profil(2)	314
Generation numbers	Changes a directory by using the inode number	chdiri(2)	61
getash(2)	Gets an array session handle	getash(2)	140
getdents(2)	Reads and formats directory entries as file system independent	getdents(2)	141
getdevn(2)	Gets device number or driver entry	getdevn(2)	143
getegid(2)	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
geteuid(2)	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
getfacl(2)	Gets access control list entries for file	getfacl(2)	144
getgid(2)	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
getgroups(2)	Gets or sets group list	getgroups(2)	148

gethostid(2)	Gets or sets unique identifier of local host	gethostid(2)	151
gethostname(2)	Gets or sets name of local host	gethostname(2)	153
getinfo(2)	Gets specified user, job, or process signal information ..	getinfo(2)	155
getjtab(2)	Gets the job table entry associated with a process	getjtab(2)	158
getlim(2)	Obtains current resource limit information	getlim(2)	160
_getlwpid(2)	Gets process, process group, or parent process IDs	getpid(2)	176
_getlwppid(2)	Gets process, process group, or parent process IDs	getpid(2)	176
getmount(2)	Returns information about the kernel mount table	getmount(2)	163
getpal(2)	Gets the privilege assignment list (PAL) and privilege sets of a file	getpal(2)	167
getpeername(2)	Gets name of connected peer	getpeername(2)	169
getpermit(2)	Gets or sets user permissions	getpermit(2)	172
getpgrp(2)	Gets process, process group, or parent process IDs	getpid(2)	176
getpid(2)	Gets process, process group, or parent process IDs	getpid(2)	176
getportbm(2)	Sets or gets the kernel memory port bit map	setportbm(2)	420
getppid(2)	Gets process, process group, or parent process IDs	getpid(2)	176
getppriv(2)	Gets the privilege state of the calling process	getppriv(2)	179
Gets access control list entries for file	Gets access control list entries for file	getfacl(2)	144
Gets an array session handle	Gets an array session handle	getash(2)	140
Gets and sets user limits	Gets and sets user limits	ulimit(2)	555
Gets device number or driver entry	Gets device number or driver entry	getdevn(2)	143
Gets file security attributes	Gets file security attributes	secstat(2)	371
Gets file status	Gets file status	stat(2)	503
Gets file system information	Gets file system information	statfs(2)	509
Gets file system information	Gets file system information	statvfs(2)	514
Gets file system statistics	Gets file system statistics	ustat(2)	571
Gets file system type information	Gets file system type information	sysfs(2)	533
Gets information about a terminated child job	Gets information about a terminated child job	waitjob(2)	586
Gets name of connected peer	Gets name of connected peer	getpeername(2)	169
Gets name of current operating system	Gets name of current operating system	uname(2)	562
Gets or sets date and time	Gets or sets date and time	gettimeofday(2)	194
Gets or sets group list	Gets or sets group list	getgroups(2)	148
Gets or sets name of local host	Gets or sets name of local host	gethostname(2)	153
Gets or sets options on sockets	Gets or sets options on sockets	getsockopt(2)	184
Gets or sets terminal process group ID of the foreground process group	Gets or sets terminal process group ID of the foreground process group	tcgetpgrp(2)	543
Gets or sets unique identifier of local host ...	Gets or sets unique identifier of local host	gethostid(2)	151
Gets or sets user permissions	Gets or sets user permissions	getpermit(2)	172
Gets process and child process times	Gets process and child process times	times(2)	550
Gets process, process group, or parent process IDs	Gets process, process group, or parent process IDs	getpid(2)	176
Gets real user, effective user, real group, or effective group IDs	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
Gets security attributes	Gets security attributes	getsysv(2)	189
Gets security names and associated values ..	Gets security names and associated values	getsectab(2)	180

Gets security validation attributes of the process	Gets security validation attributes of the process	getusrv(2)	199
Gets socket name	Gets socket name	getsockname(2)	182
Gets specified user, job, or process signal information	Gets specified user, job, or process signal information ..	getinfo(2)	155
Gets the job table entry associated with a process	Gets the job table entry associated with a process	getjtab(2)	158
Gets the privilege assignment list (PAL) and privilege sets of a file	Gets the privilege assignment list (PAL) and privilege sets of a file	fgetpal(2)	130
Gets the privilege assignment list (PAL) and privilege sets of a file	Gets the privilege assignment list (PAL) and privilege sets of a file	getpal(2)	167
Gets the privilege state of the calling process	Gets the privilege state of the calling process	getppriv(2)	179
Gets time	Gets time	time(2)	548
getsectab(2)	Gets security names and associated values	getsectab(2)	180
getsockname(2)	Gets socket name	getsockname(2)	182
getsockopt(2)	Gets or sets options on sockets	getsockopt(2)	184
getsysv(2)	Gets security attributes	getsysv(2)	189
gettimeofday(2)	Gets or sets date and time	gettimeofday(2)	194
getuid(2)	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
getusrv(2)	Gets security validation attributes of the process	getusrv(2)	199
_globalexit(2)	Terminates process	exit(2)	118
globalexit(2)	Terminates process	exit(2)	118
Group IDs	Sets process-group-ID for job control	setpgid(2)	416
Group IDs	Sets process-group ID	setpgrp(2)	418
Group IDs	Sets real or effective group ID	setregid(2)	423
Group IDs	Creates session and sets process group ID	setsid(2)	430
Group IDs	Gets or sets terminal process group ID of the foreground process group	tcgetpgrp(2)	543
Groups	Gets or sets group list	getgroups(2)	148
Groups	Changes owner and group of a file	chown(2)	75
guestctl(2)	Controls and reports the status of major guest system functions	guestctl(2)	202
Hardware registers	Exchanges control	exctl(2)	109
Header information	Manipulates file system quotas	quotactl(2)	322
Host names	Gets or sets name of local host	gethostname(2)	153
Hosts	Gets or sets unique identifier of local host	gethostid(2)	151
Hosts	Gets name of connected peer	getpeername(2)	169
Hosts	Retrieves or modifies machine characteristics	target(2)	541
ialloc(2)	Allocates storage for a file	ialloc(2)	211
Initiates a connection on a socket	Initiates a connection on a socket	connect(2)	84
Initiates a list of I/O requests	Initiates a list of I/O requests	listio(2)	243
Inode numbers	Opens a file by using the inode number	openi(2)	297
Inode numbers	Changes a directory by using the inode number	chdiri(2)	61
Interprocess channels	Creates an interprocess channel	pipe(2)	307
Interprocess communication	Accesses the message queue	msgget(2)	269

Interprocess communication	Reads a message from a message queue	msgrcv(2)	271
Interprocess communication	Sends a message to a message queue	msgsnd(2)	274
Interprocess communication	Provides semaphore control operations	semctl(2)	378
Interprocess communication	Provides access to semaphore identifiers	semget(2)	383
Interprocess communication	Provides general semaphore operations	semop(2)	386
Interprocess communication	Attaches shared memory segment	shmat(2)	447
Interprocess communication	Provides shared memory control operations	shmctl(2)	450
Interprocess communication	Detaches shared memory segment	shmdt(2)	455
Interprocess communication	Accesses shared memory identifier	shmget(2)	457
intro(2)	Introduces system calls and error numbers	intro(2)	1
Introduces system calls and error numbers	Introduces system calls and error numbers	intro(2)	1
I/O descriptor sets	Examines synchronous I/O multiplexing	select(2)	374
I/O requests	Initiates a list of I/O requests	listio(2)	243
I/O requests	Performs asynchronous read from a file	reada(2)	333
I/O requests	Waits for I/O completions	recall(2)	342
I/O requests	Waits for I/O completion(s)	recalla(2)	344
I/O requests	Performs asynchronous write on a file	writea(2)	596
ioctl(2)	Controls device	ioctl(2)	214
IPC functions	Provides message control operations	msgctl(2)	265
IPC functions	Accesses the message queue	msgget(2)	269
IPC functions	Reads a message from a message queue	msgrcv(2)	271
IPC functions	Sends a message to a message queue	msgsnd(2)	274
IPC functions	Provides semaphore control operations	semctl(2)	378
IPC functions	Provides access to semaphore identifiers	semget(2)	383
IPC functions	Provides general semaphore operations	semop(2)	386
IPC functions	Attaches shared memory segment	shmat(2)	447
IPC functions	Provides shared memory control operations	shmctl(2)	450
IPC functions	Detaches shared memory segment	shmdt(2)	455
IPC functions	Accesses shared memory identifier	shmget(2)	457
jacct(2)	Enables or disables job accounting	jacct(2)	219
Jobs	Gets specified user, job, or process signal information	getinfo(2)	155
Jobs	Gets the job table entry associated with a process	getjtab(2)	158
Jobs	Enables or disables job accounting	jacct(2)	219
Jobs	Restarts a process, multitask group, or job	restart(2)	357
Jobs	Sets job ID	setjob(2)	409
Jobs	Sets process-group-ID for job control	setpgid(2)	416
Jobs	Gets information about a terminated child job	waitjob(2)	586
Jobs	Checkpoints a process, multitask group, or job	chkpnt(2)	63
join(2)	Joins files	join(2)	221
Joins files	Joins files	join(2)	221
Kernel limits	Returns or sets limits structure for fair-share scheduler	limits(2)	232
Kernel memory	Sets or gets the kernel memory port bit map	setportbm(2)	420
Kernel mount table	Returns information about the kernel mount table	getmount(2)	163
kill(2)	Sends a signal to a process or a group of processes	kill(2)	223
killm(2)	Sends a signal to a process or a group of processes	kill(2)	223
Large file allocation strategy	Opens a file for reading or writing	open(2)	287
lchown(2)	Changes owner and group of a file	chown(2)	75

Level ranges	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Levels	Sets security level of a file	setflvl(2)	407
Levels	Sets security validation attributes of the process	setusrv(2)	444
limit(2)	Sets resource limits	limit(2)	227
Limits	Obtains current resource limit information	getlim(2)	160
Limits	Determines value of file or directory limit	pathconf(2)	299
Limits	Sets user-controllable resource limits	setlim(2)	411
Limits	Gets and sets user limits	ulimit(2)	555
limits(2)	Returns or sets limits structure for fair-share scheduler	limits(2)	232
link(2)	Creates a link to a file	link(2)	235
Links	Reads value of a symbolic link	readlink(2)	339
Links	Makes a symbolic link to a file	symlink(2)	522
listen(2)	Listens for connections on a socket	listen(2)	239
Listens for connections on a socket	Listens for connections on a socket	listen(2)	239
listio(2)	Initiates a list of I/O requests	listio(2)	243
Lnodes	Returns or sets limits structure for fair-share scheduler	limits(2)	232
Local area network	Corrects the time to allow synchronization of the system clock	adjtime(2)	44
Local hosts	Gets or sets unique identifier of local host	gethostid(2)	151
Local hosts	Gets or sets name of local host	gethostname(2)	153
_localexit(2)	Terminates process	exit(2)	118
localexit(2)	Terminates process	exit(2)	118
Locks process in memory	Locks process in memory	plock(2)	310
Log entries	Makes security log entry	slgentry(2)	486
lsecstat(2)	Gets file security attributes	secstat(2)	371
lseek(2)	Moves read/write file pointer	lseek(2)	249
lsetattr(2)	Sets metadata for a file	lsetattr(2)	252
lstat(2)	Gets file status	stat(2)	503
_lwp_alarm(2)	Sets a process alarm clock	alarm(2)	46
_lwp_exit(2)	Terminates process	exit(2)	118
_lwp_kill(2)	Sends a signal to a process or a group of processes	kill(2)	223
_lwp_killm(2)	Sends a signal to a process or a group of processes	kill(2)	223
Machine characteristics	Retrieves or modifies machine characteristics	target(2)	541
Makes a directory	Makes a directory	mkdir(2)	254
Makes a directory or a special or regular file	Makes a directory or a special or regular file	mknod(2)	257
Makes a symbolic link to a file	Makes a symbolic link to a file	symlink(2)	522
Makes security log entry	Makes security log entry	slgentry(2)	486
Manages pty reconnection	Manages pty reconnection	ptyrecon(2)	320
Manipulates file system quotas	Manipulates file system quotas	quotactl(2)	322
Maximum authorized compartments	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Maximum level ranges	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Memory availability	Retrieves or modifies system physical memory availability	chmem(2)	69

Memory scheduling	Sets memory scheduling parameters	schedv(2)	368
Message queues	Provides message control operations	msgctl(2)	265
Message queues	Accesses the message queue	msgget(2)	269
Message queues	Reads a message from a message queue	msgrcv(2)	271
Message queues	Sends a message to a message queue	msgsnd(2)	274
Metadata	Sets metadata for a file	lsetattr(2)	252
Minimum authorized compartments	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
mkdir(2)	Makes a directory	mkdir(2)	254
mkfifo(2)	Makes a directory or a special or regular file	mknod(2)	257
mknod(2)	Makes a directory or a special or regular file	mknod(2)	257
Modes	Changes the mode of a file	chmod(2)	71
Modes	Creates a new file or rewrites an existing one	creat(2)	90
mount(2)	Mounts a file system	mount(2)	262
Mounts a file system	Mounts a file system	mount(2)	262
Moves read/write file pointer	Moves read/write file pointer	lseek(2)	249
msgctl(2)	Provides message control operations	msgctl(2)	265
msgget(2)	Accesses the message queue	msgget(2)	269
msgrcv(2)	Reads a message from a message queue	msgrcv(2)	271
msgsnd(2)	Sends a message to a message queue	msgsnd(2)	274
mtimes(2)	Provides multitasking execution overlap profile	mtimes(2)	277
Multiplexing	Examines synchronous I/O multiplexing	select(2)	374
Multitask groups	Checkpoints a process, multitask group, or job	chkpnt(2)	63
Multitasking	Provides multitasking execution overlap profile	mtimes(2)	277
Multitasking	Restarts a process, multitask group, or job	restart(2)	357
Multitasking	Creates a multitasking process	_tfork(2)	545
Named pipes	Makes a directory or a special or regular file	mknod(2)	257
Names	Gets name of current operating system	uname(2)	562
Networks	Accesses or manipulates network security information	nsecctl(2)	284
New processes	Executes a file	exec(2)	111
New processes	Creates a new process	fork(2)	131
New processes	Creates a new process in a memory efficient way	vfork(2)	577
newarraysess(2)	Starts a new array session	newarraysess(2)	279
_newexit(2)	Terminates process	exit(2)	118
newexit(2)	Terminates process	exit(2)	118
newgetpid(2)	Gets process, process group, or parent process IDs	getpid(2)	176
newgetppid(2)	Gets process, process group, or parent process IDs	getpid(2)	176
nice(2)	Changes priority of processes	nice(2)	281
nicem(2)	Changes priority of processes	nice(2)	281
nsecctl(2)	Accesses or manipulates network security information	nsecctl(2)	284
Obtains current resource limit information ..	Obtains current resource limit information	getlim(2)	160
open(2)	Opens a file for reading or writing	open(2)	287
openi(2)	Opens a file by using the inode number	openi(2)	297
Opens a file by using the inode number	Opens a file by using the inode number	openi(2)	297
Opens a file for reading or writing	Opens a file for reading or writing	open(2)	287
Operating system names	Gets name of current operating system	uname(2)	562
Owners	Changes owner and group of a file	chown(2)	75

Parent process IDs	Gets process, process group, or parent process IDs	getpid(2)	176
pathconf(2)	Determines value of file or directory limit	pathconf(2)	299
pause(2)	Suspends process until signal	pause(2)	305
Peer names	Gets name of connected peer	getpeername(2)	169
Performs asynchronous read from a file	Performs asynchronous read from a file	reada(2)	333
Performs asynchronous write on a file	Performs asynchronous write on a file	writea(2)	596
Permissions	Gets or sets user permissions	getpermt(2)	172
Permissions	Determines accessibility of a file	access(2)	33
Permissions	Sets file security label and security flag attributes	setdevs(2)	395
Permissions	Sets security validation attributes of the process	setusrv(2)	444
Physical memory availability	Retrieves or modifies system physical memory availability	chmem(2)	69
pipe(2)	Creates an interprocess channel	pipe(2)	307
Pipes	Makes a directory or a special or regular file	mknod(2)	257
Pipes	Writes on a file	write(2)	590
plock(2)	Locks process in memory	plock(2)	310
policy(2)	Returns or sets information on the CPU allocation policy	policy(2)	312
Port bit map	Sets or gets the kernel memory port bit map	setportbm(2)	420
Priorities	Changes priority of processes	nice(2)	281
Privilege policy	Gets the privilege assignment list (PAL) and privilege sets of a file	fgetpal(2)	130
Privilege policy	Sets the privilege assignment list (PAL) and privilege sets of a file	fsetpal(2)	136
Privilege policy	Gets the privilege assignment list (PAL) and privilege sets of a file	getpal(2)	167
Privilege policy	Gets the privilege state of the calling process	getppriv(2)	179
Privilege policy	Sets the privilege assignment list (PAL) and privilege sets of a file	setpal(2)	414
Privilege policy	Sets the privilege state of the calling process	setppriv(2)	422
Privilege policy	Compares the supplied character sequence with the privilege text of the calling process	cmpstxt(2)	82
Process account IDs	Changes account ID of a process	acctid(2)	42
Process accounting	Enables or disables process accounting	acct(2)	37
Process accounting	Checks status of, enables, and disables process, daemon, and record accounting	acctctl(2)	39
Process accounting	Enables or disables process and daemon accounting	dacct(2)	97
Process group IDs	Gets process, process group, or parent process IDs	getpid(2)	176
Process group IDs	Gets or sets terminal process group ID of the foreground process group	tcgetpgrp(2)	543
Process IDs	Gets process, process group, or parent process IDs	getpid(2)	176
Process priorities	Changes priority of processes	nice(2)	281
Process scheduling	Reschedules a process	resch(2)	356
Process' security attributes	Gets security validation attributes of the process	getusrv(2)	199
Process' security validation attributes	Gets security validation attributes of the process	getusrv(2)	199
Process termination	Terminates process	exit(2)	118
Processes	Creates a new process	fork(2)	131
Processes	Gets specified user, job, or process signal information	getinfo(2)	155
Processes	Gets the job table entry associated with a process	getjtab(2)	158

Processes	Sends a signal to a process or a group of processes	kill(2)	223
Processes	Locks process in memory	plock(2)	310
Processes	Traces processes	ptrace(2)	316
Processes	Restarts a process, multitask group, or job	restart(2)	357
Processes	Sets process-group-ID for job control	setpgid(2)	416
Processes	Sets process-group ID	setpgrp(2)	418
Processes	Creates session and sets process group ID	setsid(2)	430
Processes	Controls execution of processes	suspend(2)	518
Processes	Creates a multitasking process	_tfork(2)	545
Processes	Registers this process as a thread	thread(2)	546
Processes	Gets process and child process times	times(2)	550
Processes	Creates a new process in a memory efficient way	vfork(2)	577
Processes	Checkpoints a process, multitask group, or job	chkpnt(2)	63
Processes	Selects which processors may run the process	cpselect(2)	88
Processes offline file requests	Processes offline file requests	dmoofrq(2)	103
profil(2)	Generates an execution time profile	profil(2)	314
Profiles	Provides multitasking execution overlap profile	mtimes(2)	277
Provides a system interface to Silicon Graphics workstations	Provides a system interface to Silicon Graphics workstations	syssgi(2)	536
Provides access to semaphore identifiers	Provides access to semaphore identifiers	semget(2)	383
Provides general semaphore operations	Provides general semaphore operations	semop(2)	386
Provides generalized signal control	Provides generalized signal control	sigctl(2)	466
Provides message control operations	Provides message control operations	msgctl(2)	265
Provides multitasking execution overlap profile	Provides multitasking execution overlap profile	mtimes(2)	277
Provides semaphore control operations	Provides semaphore control operations	semctl(2)	378
Provides shared memory control operations	Provides shared memory control operations	shmctl(2)	450
ptrace(2)	Traces processes	ptrace(2)	316
ptyrecon(2)	Manages pty reconnection	ptyrecon(2)	320
quotactl(2)	Manipulates file system quotas	quotactl(2)	322
Ranges	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Raw mode	Opens a file for reading or writing	open(2)	287
read(2)	Reads from file	read(2)	329
reada(2)	Performs asynchronous read from a file	reada(2)	333
Reading files	Opens a file for reading or writing	open(2)	287
readlink(2)	Reads value of a symbolic link	readlink(2)	339
Reads a message from a message queue	Reads a message from a message queue	msgrcv(2)	271
Reads and formats directory entries as file system independent	Reads and formats directory entries as file system independent	getdents(2)	141
Reads from file	Reads from file	read(2)	329
Reads or writes to secondary data segment	Reads or writes to secondary data segment	ssread(2)	500
Reads value of a symbolic link	Reads value of a symbolic link	readlink(2)	339
Real group IDs	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197

Real group IDs	Sets real or effective group ID	setregid(2)	423
Real group IDs	Sets user or group IDs	setuid(2)	438
Real user IDs	Gets real user, effective user, real group, or effective group IDs	getuid(2)	197
Real user IDs	Sets real or effective user ID	setreuid(2)	426
Real user IDs	Sets user or group IDs	setuid(2)	438
recall(2)	Waits for I/O completions	recall(2)	342
recalla(2)	Waits for I/O completion(s)	recalla(2)	344
recalls(2)	Waits for I/O completions	recall(2)	342
Receives a message from a socket	Receives a message from a socket	recv(2)	347
Record accounting	Checks status of, enables, and disables process, daemon, and record accounting	acctctl(2)	39
recv(2)	Receives a message from a socket	recv(2)	347
recvfrom(2)	Receives a message from a socket	recv(2)	347
recvmsg(2)	Receives a message from a socket	recv(2)	347
Registers this process as a thread	Registers this process as a thread	thread(2)	546
Regular files	Makes a directory or a special or regular file	mknod(2)	257
Release version	Gets name of current operating system	uname(2)	562
Releases blocked signals and waits for interrupt	Releases blocked signals and waits for interrupt	sigsuspend(2)	483
Removable file systems	Mounts a file system	mount(2)	262
Removes a directory	Removes a directory	rmdir(2)	363
Removes an access control list from a file ...	Removes an access control list from a file	rmfacl(2)	366
Removes directory entry	Removes directory entry	unlink(2)	564
rename(2)	Changes the name of a file	rename(2)	352
Requests	Retrieves system implementation information	sysconf(2)	528
resch(2)	Reschedules a process	resch(2)	356
Reschedules a process	Reschedules a process	resch(2)	356
Resource limits	Obtains current resource limit information	getlim(2)	160
Resource limits	Sets resource limits	limit(2)	227
Resource limits	Sets user-controllable resource limits	setlim(2)	411
Restart files	Checkpoints a process, multitask group, or job	chkpnt(2)	63
restart(2)	Restarts a process, multitask group, or job	restart(2)	357
Restarts a process, multitask group, or job ..	Restarts a process, multitask group, or job	restart(2)	357
resume(2)	Controls execution of processes	suspend(2)	518
Retrieval mode	Sets and gets data migration retrieval mode	dmmode(2)	102
Retrieves or modifies machine characteristics	Retrieves or modifies machine characteristics	target(2)	541
Retrieves or modifies system physical memory availability	Retrieves or modifies system physical memory availability	chmem(2)	69
Retrieves system implementation information	Retrieves system implementation information	sysconf(2)	528
Returns information about the kernel mount table	Returns information about the kernel mount table	getmount(2)	163
Returns information on and reads a system table	Returns information on and reads a system table	tabinfo(2)	538

Returns or sets information on the CPU allocation policy	Returns or sets information on the CPU allocation policy	policy(2)	312
Returns or sets limits structure for fair-share scheduler	Returns or sets limits structure for fair-share scheduler	limits(2)	232
rmdir(2)	Removes a directory	rmdir(2)	363
rmfac1(2)	Removes an access control list from a file	rmfac1(2)	366
Root directory	Changes the root directory	chroot(2)	79
Routine swapping	Locks process in memory	plock(2)	310
sbreak(2)	Changes data segment space allocation	brk(2)	53
sbrk(2)	Changes data segment space allocation	brk(2)	53
Scheduling	Reschedules a process	resch(2)	356
schedv(2)	Sets memory scheduling parameters	schedv(2)	368
Secondary data segments	Changes size of secondary data segment	ssbreak(2)	497
Secondary data segments	Reads or writes to secondary data segment	ssread(2)	500
secstat(2)	Gets file security attributes	secstat(2)	371
Security administrator category	Gets access control list entries for file	getfac1(2)	144
Security attributes	Gets security attributes	getsysv(2)	189
Security attributes	Gets security validation attributes of the process	getusrv(2)	199
Security attributes	Gets file security attributes	secstat(2)	371
Security attributes	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Security flags	Sets file security flags	setfflg(2)	405
Security information	Accesses or manipulates network security information	nsectl(2)	284
Security levels	Sets the active security level of the process	setulvl(2)	442
Security log	Gets access control list entries for file	getfac1(2)	144
Security log	Gets security validation attributes of the process	getusrv(2)	199
Security log	Removes an access control list from a file	rmfac1(2)	366
Security log	Sets file security label and security flag attributes	setdevs(2)	395
Security log	Sets access control list for file	setfac1(2)	398
Security log	Sets file compartments	setfcmp(2)	402
Security log	Sets security level of a file	setflvl(2)	407
Security log	Sets active compartments of the process	setucmp(2)	436
Security log	Sets the active security level of the process	setulvl(2)	442
Security log	Sets security validation attributes of the process	setusrv(2)	444
Security log	Makes security log entry	slgentry(2)	486
select(2)	Examines synchronous I/O multiplexing	select(2)	374
Selects which processors may run the process	Selects which processors may run the process	cpselect(2)	88
Semaphore control operations	Provides semaphore control operations	semctl(2)	378
Semaphore control operations	Provides access to semaphore identifiers	semget(2)	383
Semaphore control operations	Provides general semaphore operations	semop(2)	386
semctl(2)	Provides semaphore control operations	semctl(2)	378
semget(2)	Provides access to semaphore identifiers	semget(2)	383
semop(2)	Provides general semaphore operations	semop(2)	386
send(2)	Sends a message from a socket	send(2)	390
sendmsg(2)	Sends a message from a socket	send(2)	390

Sends a message from a socket	Sends a message from a socket	send(2)	390
Sends a message to a message queue	Sends a message to a message queue	msgsnd(2)	274
Sends a signal to a process or a group of processes	Sends a signal to a process or a group of processes	kill(2)	223
sendto(2)	Sends a message from a socket	send(2)	390
Session creation	Creates session and sets process group ID	setsid(2)	430
setash(2)	Sets an array session handle	setash(2)	393
setdevs(2)	Sets file security label and security flag attributes	setdevs(2)	395
setegid(2)	Sets real or effective group ID	setregid(2)	423
seteuid(2)	Sets real or effective user ID	setreuid(2)	426
setfacl(2)	Sets access control list for file	setfacl(2)	398
setfcmp(2)	Sets file compartments	setfcmp(2)	402
setfflg(2)	Sets file security flags	setfflg(2)	405
setflvl(2)	Sets security level of a file	setflvl(2)	407
setgid(2)	Sets user or group IDs	setuid(2)	438
Set-group-ID bit	Changes owner and group of a file	chown(2)	75
setgroups(2)	Gets or sets group list	getgroups(2)	148
sethostid(2)	Gets or sets unique identifier of local host	gethostid(2)	151
sethostname(2)	Gets or sets name of local host	gethostname(2)	153
setjob(2)	Sets job ID	setjob(2)	409
setlim(2)	Sets user-controllable resource limits	setlim(2)	411
setpal(2)	Sets the privilege assignment list (PAL) and privilege sets of a file	setpal(2)	414
setpermit(2)	Gets or sets user permissions	getpermit(2)	172
setpgid(2)	Sets process-group-ID for job control	setpgid(2)	416
setpgrp(2)	Sets process-group ID	setpgrp(2)	418
setportbm(2)	Sets or gets the kernel memory port bit map	setportbm(2)	420
setppriv(2)	Sets the privilege state of the calling process	setppriv(2)	422
setregid(2)	Sets real or effective group ID	setregid(2)	423
setreuid(2)	Sets real or effective user ID	setreuid(2)	426
setrgid(2)	Sets real or effective group ID	setregid(2)	423
setruid(2)	Sets real or effective user ID	setreuid(2)	426
Sets a process alarm clock	Sets a process alarm clock	alarm(2)	46
Sets access control list for file	Sets access control list for file	setfacl(2)	398
Sets active categories of a process	Sets active categories of a process	setucat(2)	434
Sets active compartments of the process	Sets active compartments of the process	setucmp(2)	436
Sets an array session handle	Sets an array session handle	setash(2)	393
Sets and gets data migration retrieval mode	Sets and gets data migration retrieval mode	dmmode(2)	102
Sets and gets file creation mask	Sets and gets file creation mask	umask(2)	558
Sets file access and modification times	Sets file access and modification times	utime(2)	573
Sets file compartments	Sets file compartments	setfcmp(2)	402
Sets file security flags	Sets file security flags	setfflg(2)	405
Sets file security label and security flag attributes	Sets file security label and security flag attributes	setdevs(2)	395
Sets job ID	Sets job ID	setjob(2)	409
Sets memory scheduling parameters	Sets memory scheduling parameters	schedv(2)	368
Sets metadata for a file	Sets metadata for a file	lsetattr(2)	252

Sets minimum and maximum level range, authorized compartments, and security auditing options	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
Sets or gets the kernel memory port bit map	Sets or gets the kernel memory port bit map	setportbm(2)	420
Sets process-group ID	Sets process-group ID	setpgrp(2)	418
Sets process-group-ID for job control	Sets process-group-ID for job control	setpgid(2)	416
Sets real or effective group ID	Sets real or effective group ID	setregid(2)	423
Sets real or effective user ID	Sets real or effective user ID	setreuid(2)	426
Sets resource limits	Sets resource limits	limit(2)	227
Sets security level of a file	Sets security level of a file	setflvl(2)	407
Sets security validation attributes of the process	Sets security validation attributes of the process	setusrv(2)	444
Sets the active security level of the process	Sets the active security level of the process	setulvl(2)	442
Sets the privilege assignment list (PAL) and privilege sets of a file	Sets the privilege assignment list (PAL) and privilege sets of a file	fsetpal(2)	136
Sets the privilege assignment list (PAL) and privilege sets of a file	Sets the privilege assignment list (PAL) and privilege sets of a file	setpal(2)	414
Sets the privilege state of the calling process	Sets the privilege state of the calling process	setppriv(2)	422
Sets time	Sets time	stime(2)	517
Sets user or group IDs	Sets user or group IDs	setuid(2)	438
Sets user-controllable resource limits	Sets user-controllable resource limits	setlim(2)	411
setsid(2)	Creates session and sets process group ID	setsid(2)	430
setsockopt(2)	Gets or sets options on sockets	getsockopt(2)	184
setsysv(2)	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
settimeofday(2)	Gets or sets date and time	gettimeofday(2)	194
setucat(2)	Sets active categories of a process	setucat(2)	434
setucmp(2)	Sets active compartments of the process	setucmp(2)	436
setuid(2)	Sets user or group IDs	setuid(2)	438
setulvl(2)	Sets the active security level of the process	setulvl(2)	442
Set-user-ID bit	Changes owner and group of a file	chown(2)	75
setusrv(2)	Sets security validation attributes of the process	setusrv(2)	444
Shared memory control functions	Accesses shared memory identifier	shmget(2)	457
Shared memory control operations	Detaches shared memory segment	shmdt(2)	455
Shared memory operations	Attaches shared memory segment	shmat(2)	447
Shared memory segments	Provides shared memory control operations	shmctl(2)	450
shmat(2)	Attaches shared memory segment	shmat(2)	447
shmctl(2)	Provides shared memory control operations	shmctl(2)	450
shmdt(2)	Detaches shared memory segment	shmdt(2)	455
shmget(2)	Accesses shared memory identifier	shmget(2)	457
shutdown(2)	Shuts down part of a full-duplex connection	shutdown(2)	460
Shuts down part of a full-duplex connection	Shuts down part of a full-duplex connection	shutdown(2)	460

sigaction(2)	Examines or changes action associated with a signal	sigaction(2)	462
sigblock(2)	Examines and changes blocked signals	sigprocmask(2)	479
sigctl(2)	Provides generalized signal control	sigctl(2)	466
sighold(2)	Examines and changes blocked signals	sigprocmask(2)	479
sigignore(2)	Changes action associated with a signal	signal(2)	470
Signal handlers	Initiates a list of I/O requests	listio(2)	243
signal(2)	Changes action associated with a signal	signal(2)	470
Signals	Sends a signal to a process or a group of processes	kill(2)	223
Signals	Suspends process until signal	pause(2)	305
Signals	Examines or changes action associated with a signal	sigaction(2)	462
Signals	Provides generalized signal control	sigctl(2)	466
Signals	Changes action associated with a signal	signal(2)	470
Signals	Stores pending signals	sigpending(2)	477
Signals	Examines and changes blocked signals	sigprocmask(2)	479
Signals	Releases blocked signals and waits for interrupt	sigsuspend(2)	483
sigpause(2)	Releases blocked signals and waits for interrupt	sigsuspend(2)	483
sigpending(2)	Stores pending signals	sigpending(2)	477
sigprocmask(2)	Examines and changes blocked signals	sigprocmask(2)	479
sigrelse(2)	Examines and changes blocked signals	sigprocmask(2)	479
sigset(2)	Changes action associated with a signal	signal(2)	470
sigsetmask(2)	Examines and changes blocked signals	sigprocmask(2)	479
sigsuspend(2)	Releases blocked signals and waits for interrupt	sigsuspend(2)	483
sigvec(2)	Examines or changes action associated with a signal	sigaction(2)	462
slgentry(2)	Makes security log entry	slgentry(2)	486
Socket descriptors	Creates a pair of connected sockets	socketpair(2)	495
Socket system calls	Introduces system calls and error numbers	intro(2)	1
socket(2)	Creates an endpoint for communication	socket(2)	488
socketpair(2)	Creates a pair of connected sockets	socketpair(2)	495
Sockets	Gets name of connected peer	getpeername(2)	169
Sockets	Gets socket name	getsockname(2)	182
Sockets	Gets or sets options on sockets	getsockopt(2)	184
Sockets	Listens for connections on a socket	listen(2)	239
Sockets	Accepts a connection on a socket	accept(2)	29
Sockets	Receives a message from a socket	recv(2)	347
Sockets	Sends a message from a socket	send(2)	390
Sockets	Shuts down part of a full-duplex connection	shutdown(2)	460
Sockets	Creates an endpoint for communication	socket(2)	488
Sockets	Binds a name to a socket	bind(2)	49
Sockets	Creates a pair of connected sockets	socketpair(2)	495
Sockets	Initiates a connection on a socket	connect(2)	84
Space allocation	Changes data segment space allocation	brk(2)	53
Special files	Opens a file for reading or writing	open(2)	287
ssbreak(2)	Changes size of secondary data segment	ssbreak(2)	497
SSD memory	Opens a file for reading or writing	open(2)	287
SSD Solid-state storage devices	Changes size of secondary data segment	ssbreak(2)	497
SSD solid-state storage devices	Reads or writes to secondary data segment	ssread(2)	500
ssread(2)	Reads or writes to secondary data segment	ssread(2)	500
sswrite(2)	Reads or writes to secondary data segment	ssread(2)	500
Starts a new array session	Starts a new array session	newarraysess(2)	279

stat(2)	Gets file status	stat(2)	503
statfs(2)	Gets file system information	statfs(2)	509
Statistics	Gets file system statistics	ustat(2)	571
Status	Gets file status	stat(2)	503
Status	Gets file system information	statvfs(2)	514
statvfs(2)	Gets file system information	statvfs(2)	514
stime(2)	Sets time	stime(2)	517
Stops the system from a user process	Stops the system from a user process	upanic(2)	569
Stores pending signals	Stores pending signals	sigpending(2)	477
suspend(2)	Controls execution of processes	suspend(2)	518
Suspends process until signal	Suspends process until signal	pause(2)	305
Symbolic links	Reads value of a symbolic link	readlink(2)	339
Symbolic links	Makes a symbolic link to a file	symlink(2)	522
symlink(2)	Makes a symbolic link to a file	symlink(2)	522
sync(2)	Flushes system buffers out of main memory	sync(2)	526
Synchronizes the in-core state of a file			
with that on disk	Synchronizes the in-core state of a file with that on disk	fsync(2)	138
sysconf(2)	Retrieves system implementation information	sysconf(2)	528
sysfs(2)	Gets file system type information	sysfs(2)	533
syssgi(2)	Provides a system interface to Silicon Graphics workstations	syssgi(2)	536
System buffers	Flushes system buffers out of main memory	sync(2)	526
System clocks	Corrects the time to allow synchronization of the system clock	adjtime(2)	44
System information	Gets file system information	statfs(2)	509
System information	Retrieves system implementation information	sysconf(2)	528
System information	Gets file system type information	sysfs(2)	533
System tables	Returns information on and reads a system table	tabinfo(2)	538
tabinfo(2)	Returns information on and reads a system table	tabinfo(2)	538
tabread(2)	Returns information on and reads a system table	tabinfo(2)	538
target(2)	Retrieves or modifies machine characteristics	target(2)	541
tcgetpgrp(2)	Gets or sets terminal process group ID of the foreground process group	tcgetpgrp(2)	543
tcsetpgrp(2)	Gets or sets terminal process group ID of the foreground process group	tcgetpgrp(2)	543
Terminates process	Terminates process	exit(2)	118
Termination	Waits for a child process to stop or terminate	wait(2)	580
Termination	Gets information about a terminated child job	waitjob(2)	586
texit(2)	Terminates process	exit(2)	118
_tfork(2)	Creates a multitasking process	_tfork(2)	545
tfork(2)	Creates a multitasking process	_tfork(2)	545
thread(2)	Registers this process as a thread	thread(2)	546
_threadexit(2)	Terminates process	exit(2)	118
Time	Corrects the time to allow synchronization of the system clock	adjtime(2)	44
Time	Sets a process alarm clock	alarm(2)	46
Time	Sets time	stime(2)	517
Time	Gets time	time(2)	548

Time limits	Sets user-controllable resource limits	setlim(2)	411
Time zone	Gets or sets date and time	gettimeofday(2)	194
time(2)	Gets time	time(2)	548
times(2)	Gets process and child process times	times(2)	550
Traces	Traces processes	ptrace(2)	316
Traces processes	Traces processes	ptrace(2)	316
trunc(2)	Truncates a file	trunc(2)	552
Truncates a file	Truncates a file	trunc(2)	552
Trusted facility management	Sets active categories of a process	setucat(2)	434
Types	Gets file system type information	sysfs(2)	533
udb structure	Gets or sets user permissions	getpermit(2)	172
ulimit(2)	Gets and sets user limits	ulimit(2)	555
umask(2)	Sets and gets file creation mask	umask(2)	558
umount(2)	Unmounts a file system	umount(2)	560
uname(2)	Gets name of current operating system	uname(2)	562
UNICOS maximum authorized compartments	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
UNICOS maximum level ranges	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
UNICOS minimum authorized compartments	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
UNICOS minimum level ranges	Sets minimum and maximum level range, authorized compartments, and security auditing options	setsysv(2)	431
UNICOS under UNICOS	Controls and reports the status of major guest system functions	guestctl(2)	202
Unique requests	Retrieves system implementation information	sysconf(2)	528
unlink(2)	Removes directory entry	unlink(2)	564
unlink2(2)	Removes directory entry	unlink(2)	564
Unmounts a file system	Unmounts a file system	umount(2)	560
upanic(2)	Stops the system from a user process	upanic(2)	569
Updates user execution time	Updates user execution time	cutimes(2)	94
User IDs	Sets real or effective user ID	setreuid(2)	426
User information	Gets specified user, job, or process signal information ..	getinfo(2)	155
User limits	Gets and sets user limits	ulimit(2)	555
User memory	Updates user execution time	cutimes(2)	94
User panic	Stops the system from a user process	upanic(2)	569
User permissions	Gets or sets user permissions	getpermit(2)	172
ustat(2)	Gets file system statistics	ustat(2)	571
utime(2)	Sets file access and modification times	utime(2)	573
Validation attributes	Gets security validation attributes of the process	getusrv(2)	199
vfork(2)	Creates a new process in a memory efficient way	vfork(2)	577
wait(2)	Waits for a child process to stop or terminate	wait(2)	580
waitjob(2)	Gets information about a terminated child job	waitjob(2)	586
waitpid(2)	Waits for a child process to stop or terminate	wait(2)	580
Waits for a child process to stop or terminate	Waits for a child process to stop or terminate	wait(2)	580
Waits for I/O completion(s)	Waits for I/O completion(s)	recalla(2)	344

Waits for I/O completions	Waits for I/O completions	recall(2)	342
Working directories	Changes working directory	chdir(2)	58
wracct(2)	Writes an accounting record to the kernel accounting file or to a daemon accounting file	wracct(2)	588
write(2)	Writes on a file	write(2)	590
writea(2)	Performs asynchronous write on a file	writea(2)	596
Writes an accounting record to the kernel accounting file or to a daemon accounting file	Writes an accounting record to the kernel accounting file or to a daemon accounting file	wracct(2)	588
Writes on a file	Writes on a file	write(2)	590
Writing files	Opens a file for reading or writing	open(2)	287