

#pragma directive, 104

\$SEGCALL, 85

\$SEGRES, 85

description, 145

_infoblk table, description, 141

_loaded, and soft externals, 106

A

ABS directive, overview, 35

Absolute binary module, definition, 149

ADA, 1

ADDBSS directive, 90

ALIGN

directive, overview, 47

pseudo-op, 47

Allocating Central Memory

Cray PVP system, 99, 100

default allocation scheme, 98

definitions of terms, 96

overview, 95

segmented programs, overview, 99

shared-text allocation scheme, 98

TEXT, DATA, BSS allocation scheme, 98

Assigning modules to segments, 67

Assignment, block & program duplication

nonsegmented programs, 75

overview, 75

segmented programs, 76

Automatic duplicaiton of movable blocks using FLOAT

directive, 80

B

Barrier, definition, 149

bin and lib files, exceptions and differences, 24

BIN directive

example, 125

with DUPORDER directive, 32

with FORCE directive, 30

with NODEFLIB directive, 28

BIN directive (global)

example, 26

overview, 26

BIN directive (segment)

example, 70

overview, 69

Bin file, definition, 149

Block

assignment

and program duplication, 75

definition, 75

nonsegmented, 76

definition, 149

movable, handling using FLOAT directive, 80

BLOCKDATA subprograms, 25, 30

Branch segment, definition, 55, 56, 149

BSS sections, and shared-text memory allocation, 98

C

C, 1

CAL

definition, 149

version 2, 1

Calling tree, precautions for design, 57

CALLXFER directive, overview, 113

Case conversion

controlling, 51

convention, vi

CASE directive, overview, 51

CAUTION message, definition, 137

CDBX, definition, 150

Central Memory, allocation of, 95

CF90, 1

CFT77, 1

CODE attributes, and shared-text memory allocation, 98

Command line

ld(1), 10

options, -k, 137

segldr(1), 4

Command line options

ld(1), 10

segldr(1), 4

- Command options, 15
 - Commands, `explain(1)`, 138
 - COMMENT directive, as segment description directive, 66
 - COMMENT message, definition, 137
 - Comments
 - example, 37
 - overview, 36
 - using in SEGLDR, 21
 - Common block
 - allocation, ORDER directive, 97
 - assignment
 - overview, 76
 - segmented block, 79
 - definition, 150
 - duplication in nonsegmented loads, 76
 - names, duplication in segmented loads, 76
 - naming, directives for
 - COMMONS, 31
 - FORCE, 30
 - MODULES, 30
 - reference map, 135
 - use and assignment, 75, 79, 83
 - block data routines, 84
 - data load restrictions, 83
 - duplicate common blocks, 77
 - referencing data in common blocks, 84
 - Common block use and assignment, user-assigned common blocks, 83
 - COMMONS directive (global)
 - and duplicated common blocks, 76
 - overview, 31
 - COMMONS directive (segment)
 - in segmented loads, 76
 - overview, 68
 - COMPRESS directive, overview, 52
 - Control, load map, 35
 - Controlling entry points and execution, 44–47, 113
 - Controlling entry points and execution, directives for
 - CALLXFER, 113
 - EQUIV, 45
 - overview, 44, 113
 - SET, 46
 - START, 113
 - UNSAT, 46
 - XFER, 44
 - Controlling error messages, 39
 - Controlling error messages, directives for
 - DUPENTRY, 41
 - DUPLoad, 42
 - MLEVEL, 39
 - MSGLEVEL, 43
 - NODUPMSG, 42
 - NOUSXMSG, 43
 - overview, 39
 - REDEF, 40
 - USX, 40
 - Controlling listings, directives for
 - Comments, 36
 - ECHO, 36
 - MAP, 37
 - TITLE, 38
 - TRIAL, 35
 - Controlling loading, 47
 - Conventions, for loader directives, 21
 - COPY directive, overview, 73
 - CPUCHECK directive, overview, 51
- ## D
- DATA attributes, and shared-text memory allocation, 98
 - Data loading, definition, 150
 - Data loads
 - and FORCE directive, 80
 - and MODULES directive, 80
 - restrictions, 83
 - block data routines, 84
 - referencing data in common blocks, 84
 - Debug symbol table, 50
 - Debugging, symbolic
 - CDBX definition, 150
 - overview, 50, 114
 - SYMBOLS directive, 50
 - Default, directives file, 17
 - Default directives files, 19
 - Default libraries, 25
 - Default system libraries, 18
 - DEFDIR directive
 - example, 111
 - overview, 109
 - DEFHEAP directive, overview, 117
 - DEFLIB directive
 - example, 29
 - overview, 29
 - DEFSTACK directive, 118
 - DEX, definition, 150
 - Differences between `segldr` and `ld`, 17
 - Directive termination, 22

Directives

- ABS, 35
- ADDBSS, 90
- ALIGN, 47
- BIN (global), 26
- BIN (segment), 69
- CALLXFER, 113
- CASE, 51
- comments, 36
- COMMONS (global), 31
- COMMONS (segment), 68
- COMPRESS, 52
- conventions, 21
- COPY, 73
- CPUCHECK, 51
- DEFDIR, 109
- DEFHEAP, 117
- DEFLIB, 29
- DEFSTACK, 118
- DUP, 71
- DUPENTRY, 41
- DUPLOAD, 42
- DUPORDER, 32
- DYNAMIC, 90, 91
- ECHO, 36
- ENDSEG, 66
- EQUIV, 45
- FORCE, 30
- FREEHEAP, 119
- HARDREF, 108
- HEAP, 87
- INCFEIL, 114
- INCLUDE, 23
- LBIN, 26
- LIB, 27
- LIBDIR, 111
- LINCLUDE, 23
- LLIB, 28
- LOGFILE, 53
- LOGUSE, 53
- MAP, 37
- MLEVEL, 39
- MODULES (global), 30
- MODULES (segment), 67
- MSGLEVEL, 43
- NODEFLIB, 28
- NODUPMSG, 42
- NOUSXMSG, 43
- OMIT, 34
- ORDER, 97
- ORG, 49
- OUTFORM, 112
- PRESET, 48
- REDEF, 40
- SAVE (global), 72
- SAVE (segment), 70
- SCOMMONS (global), 31
- SCOMMONS (segment), 68
- SEGMENT, 66
- SEGORDER, 74
- SET, 46
- SLT, 72
- SMODULES (global), 30
- SMODULES (segment), 67
- SOFTREF, 108
- specification order, 21
- STACK, 88
- START, 113
- SYMBOLS, 50
- SYSTEM, 114
- TITLE, 38
- TRIAL, 35
- TSTACK, 89
- UNSAT, 46
- USX, 40
- XFER, 44
- ZEROCOM, 116, 117
- ZSYMS, 115
- Directives file, default, 17, 19
- Directives processing order, 14
- Directives, miscellaneous global, 50, 114
- Directives, segment
 - ENDSEG directive, 66
 - segment description, 66
 - SEGMENT directive, 66
 - tree definition, 65
- Directives, zero address, 115
- Distributed EXpression table, definition, 150
- Distributed mode, definition, 150
- DUP directive
 - example, 71, 125
 - in nonsegmented loads, 75
 - in segmented loads, 76, 77
 - overview, 71
- DUPENTRY directive
 - default setting, 18
 - keywords, 41
 - overview, 41

- Duplicate names
 - entry point, 75
 - module, 75
 - Duplicated
 - common blocks and COMMONS directive, 76
 - entry point errors, controlling, 32
 - Duplication
 - definition, 75
 - in nonsegmented loads, 75
 - common blocks, 76
 - entry point names, 75
 - module names, 75
 - in segmented loads, 76
 - common blocks, 77
 - entry point names, 77
 - module names, 76
 - program and block assignment, 75
 - using DUP, 71
 - using MODULES, 67
 - DUPLOAD directive, overview, 42
 - DUPORDER directive
 - default setting, 18
 - example, 33
 - overview, 32
 - Dynamic common block
 - allocation, 90
 - and heap memory, 87
 - DYNAMIC directive
 - example, 91, 124
 - overview, 90
 - with the heap, 92
 - Dynamic memory management, 87
- E**
- ECHO directive
 - as segment description directive, 66
 - example, 128
 - overview, 36
 - ENDSEG directive
 - example, 67, 124, 125, 128
 - overview, 66
 - ENDTREE directive
 - example, 66, 121, 122, 124, 125, 128
 - overview, 65
 - Entry point
 - control and execution, 44, 113
 - definition, 75, 150
 - duplicate names, 75
 - duplication
 - error message control, 41, 42
 - figure, 78
 - in nonsegmented loads, 75
 - in segmented loads, 77
 - processing order, 32
 - names, duplication in segmented loads, 75
 - value assignment, 46
 - Entry point references
 - testing with `_loaded`, 106
 - testing with flag words, 107
 - Entry points, to external functions, 103
 - Environment variable processing, 12, 17
 - Environment variables
 - LDDIR, 12
 - LPP, 13
 - MSG_FORMAT, 13
 - NLSPATH, 13
 - SEGDIR, 13
 - TARGET, 14
 - TMPDIR, 14
 - EQUIV directive
 - example, 45
 - overview, 45
 - Error, messages, 137
 - descriptions, 138
 - format, 139
 - load-time, 137
 - run-time, 137
 - Error messages
 - controlling, directives for
 - DUPENTRY, 41
 - DUPLOAD, 42
 - MLEVEL, 39
 - MSGLEVEL, 43
 - NODUPMSG, 42
 - NOUSXMSG, 43
 - REDEF, 40
 - USX, 40
 - overview, 39
 - printing according to severity, 39
 - Events, definition, 150
 - Examples
 - basic loader invocation, 121
 - BIN directive, 26, 125
 - BIN directive (segment), 70
 - block maps, 131
 - Comments, 37

- common block reference map, 135
 - DEFDIR directive, 111
 - DEFLIB directive, 29
 - DUP directive, 71, 125
 - DUPORDER directive, 33
 - DYNAMIC directive, 91, 124
 - ECHO directive, 128
 - ENDSEG directive, 67, 124, 125, 128
 - ENDTREE directive, 66, 121, 122, 124, 125, 128
 - entry point cross-reference map, 134
 - entry point duplication, 78
 - EQUIV directive, 45
 - HEAP directive, 128
 - INCLUDE directive, 23
 - LIB directive, 27
 - LIBDIR directive, 111
 - LINCLUDE directive, 23
 - LLIB directive, 28
 - MAP directive, 128
 - map output, 130
 - MODULES directive, 31, 68, 124, 125, 129
 - MSGLEVEL directive, 43
 - NODEFLIB directive, 29
 - OMIT directive, 34
 - SAVE directive, 73
 - SEGMENT directive, 67, 124, 125, 128
 - segmented load with duplicated modules, 125
 - TREE directive, 66, 121, 122, 124, 125, 128
 - tree structure, 121, 122
 - figure, 123, 126
 - tree structure with expandable common block, 122
 - UNSAT directive, 46
 - Executable program, definition, 151
 - Executable program control, 34–35, 112
 - explain(1) command, 138
 - ext directive, 104
 - External functions, references to, 103
 - External reference, definition, 151
 - External symbols, 104
- F**
- FATAL message, definition, 138
 - File attribute directive, `OUTFORM`, 112
 - File naming directives
 - ABS, 35
 - BIN, global, 26
 - LBIN, 26
 - LIB, 27
 - LLIB, 28
 - NODEFLIB, 28
 - Flag word usage, 107
 - Flag words, testing entry point references with, 107
 - FLOAT directive, 80
 - using automatic duplication, 80
 - using floating, 80
 - Floating, 80
 - definition, 151
 - FORCE directive
 - and data loads, 84
 - default setting, 18
 - overview, 30
 - Force-loading, definition, 151
 - Force-loading, definition, 30
 - Fortran program examples
 - acquiring space from the heap, 92
 - basic, 121
 - comprehensive
 - block maps, 131
 - common block reference map, 135
 - entry point cross-reference map, 134
 - Fortran program, 126
 - loader directives, 128
 - loader map output, 130
 - source code, 126
 - using dynamic common blocks, 93
 - FREEHEAP directive, 119
- G**
- General directives, 21
 - Global directives
 - for segmentation, 72
 - miscellaneous
 - CASE, 51
 - COMPRESS, 52
 - CPUCHECK, 51
 - FLOAT, 80
 - INCFILE, 114
 - LOGFILE, 53
 - LOGUSE, 53
 - ORDER, 97
 - overview, 50, 114
 - SYMBOLS, 50
 - SYSTEM, 114
 - ZSYMS, 115

- segmentation
 - COPY, 73
 - overview, 72
 - SAVE, 72
 - SEGORDER, 74
 - SLT, 72
- Global heap memory, managing, 87, 117
- Global segmentation directives, 72
 - COPY, 73
 - SAVE, 72
 - SEGORDER, 74
 - SLT, 72
- Global symbol table, definition, 151

H

- Hard references, converting to, 107
- HARDREF directive, overview, 108
- Header
 - creating, 38
 - example, 38
- HEAP directive
 - example, 128
 - overview, 87
 - with DEFSTACK directive, 118
 - with DYNAMIC directive, 91
 - with STACK directive, 88
- Heap memory
 - and Dynamic Common Block, 90
 - and the stack, 88, 118
 - global managing, 87, 117
- Heap memory management directives
 - ADDBSS, 90
 - DEFHEAP, 117
 - DEFSTACK, 118
 - FREEHEAP, 119
 - HEAP, 87
 - STACK, 88
 - TSTACK, 89

I

- INCFIL directive, overview, 114
- Include, definition, 151
- INCLUDE directive
 - example, 23
 - overview, 23

- Including directives files, 22–23
- Including object modules, 24–34
- Initial transfer address, definition, 151
- Initialization & alignment, program, 47
- Initializing data areas, 47
- Introduction, 1
- Invoking SEGLDR, 3
 - ld command line, 10
 - seglldr command line, 4

L

- Languages supported, 1
- LBIN directive, overview, 26
- ld(1), command line, 10
- LDDIR environment variable, 12
- lib and bin files, exceptions and differences, 24
- LIB directive
 - and BIN files, 27
 - example, 27
 - overview, 27
 - with DEFLIB directive, 29
 - with DUPORDER directive, 32
 - with FORCE directive, 30
 - with NODEFLIB directive, 28
- LIBDIR directive
 - example, 111
 - overview, 111
- Library, definition, 152
- LINCLUDE directive
 - example, 23
 - overview, 23
- LLIB directive
 - example, 28
 - overview, 28
- Load map control, 35–38
- Load-time messages, 137
- Loader
 - definition, 152
 - invocation, 3
- Loader directives, 15
 - conventions, 21
 - specification order, 21
- Loader messages, 137
- Loader resident routine (\$SEGRES), 85
- Loader-created tables, overview, 141
- Loading
 - control of, 37

- program segments, 1
- LOGFILE directive, overview, 53
- LOGUSE directive, overview, 53
- LPP environment variable, 13

M

- Machine characteristic checking, controlling, 51
- Magic number, definition, 152
- Managing global heap memory directives
 - ADDBSS, 90
 - DEFHEAP, 117
 - DEFSTACK, 118
 - FREEHEAP, 119
 - HEAP, 87
 - overview, 87, 117
 - STACK, 88
 - TSTACK, 89
- Map control, load, 37
- MAP directive
 - example, 128
 - overview, 37
- Map output
 - example, 130
 - generation, 37
- Mass storage, writing segment state to, 70, 72
- Memory, overlays, 1
- Message
 - descriptions, 138
 - format, 139
 - log file, format, 54
 - numbers, 138
- Messages
 - controlling error, 39
 - directives for
 - DUPENTRY, 41
 - DUPLOAD, 42
 - MLEVEL, 39
 - MSGLEVEL, 43
 - NODUPMSG, 42
 - NOUSXMSG, 43
 - REDEF, 40
 - USX, 40
- Miscellaneous global directives, 50, 114
- MLEVEL directive, overview, 39
- Module
 - assigning to segments, 66
 - definition, 152

- duplication
 - in nonsegmented loads, 75
 - in segmented loads, 76
 - using DUP, 71
 - using MODULES, 67
 - using SMODULES, 67
- names, duplication in nonsegmented loads, 75
- names, duplication in segmented loads, 76
- naming directives
 - FORCE, 30
 - MODULE (segment), 67
 - MODULES, (global), 30
 - SMODULE (segment), 67
 - SMODULES, (global), 30
 - zero address, 115
- MODULES directive
 - and data loads, 84
 - example, 124, 125
 - in segmented loads, 76
- MODULES directive (global)
 - example, 30
 - overview, 30
- MODULES directive (segment)
 - example, 68
 - overview, 67
- Movable block, definition, 152
- MSG_FORMAT, 139
- MSG_FORMAT environment variable, 13
- MSGLEVEL directive
 - example, 43
 - overview, 43

N

- Naming files
 - ABS directive, 35
 - BIN directive, (global), 26
 - LBIN directive, (global), 26
 - LIB directive, 27
 - LLIB directive, 28
 - NODEFLIB directive, 28
- NLSPATH environment variable, 13
- NODEFLIB directive
 - example, 29
 - overview, 28
- NODUPMSG directive, overview, 42
- Nonsegmented program, definition, 1
- NOTE message, definition, 137

NOUSXMSG directive, overview, 43

O

Object module

definition, 152

including, 34

OMIT directive

example, 34

overview, 34

ORDER directive, overview, 97

Ordered duplicate selection, definition, 152

ORG directive, overview, 49

OUTFORM directive, overview, 112

Output file attributes, OUTFORM directive, 112

P

Parallel virtual machine, definition, 153

Partition, definition, 153

Pascal, 1

PRESET directive, overview, 48

Primary entry point, definition, 153

Program alignment and initialization, 47–49

directives

ALIGN, 47

ORG, 49

PRESET, 48

overview, 47

Program duplication & block assignment, 75

Program execution, segmented, 85

Program segmentation, introduction, 55

Program segments, loading, 1

Pseudo instructions and shared-text memory allocation, 98

PVM, definition, 153

R

REDEF directive, overview, 40

Relocatable binary module, definition, 153

Restrictions, data load, 83

Root segment, definition, 153

Root segment, definition, 55

Routines, block data, 84

Run-time messages, 137

S

SAVE directive

example, 73

with COPY directive, 73

SAVE directive (global), overview, 72

SAVE directive (segment), overview, 70

SCOMMONS directive (global), overview, 31

SCOMMONS directive (segment), overview, 68

Scratch file

controlling position of, 85

execution from, 73

SDT, description, 147

SDT, definition, 153

SECTION pseudo instructions, and shared-text memory

allocation, 98

Sector, definition, 153

SEGLDR environment variable, 13

SEGLDR, invocation statements, 3

segldr(1), command line, 4

Segment

convention, 1

definition, 154

definition directives, 65–66

description directives, 66–71

description, termination, 65

linkage table (SLT), 72

naming, 66

predecessor, function, 55

root, definition, 55

subroutine calling between, 59

successor, function, 55

tree

definition directives, 65

design and restrictions, 57

figures, 56, 57, 58, 59, 61, 62

structure, 55

Segment branch, definition, 56

Segment description directives

BIN, 69

COMMONS, 68

DUP, 71

ENDSEG, 66

MODULES, 67

SAVE, 70

SCOMMONS, 68

SEGMENT, 66

SMODULES, 67

ZEROCOM, 116, 117

- Segment Description table, definition, 153
 - Segment Description Table (SDT), description, 147
 - SEGMENT directive
 - and DUP directive, 71
 - example, 67, 124, 125, 128
 - overview, 66
 - Segment Linkage Table, definition, 154
 - Segment Linkage Table (SLT), 72
 - description, 146
 - Segment tree
 - definition directives, 65–66
 - restrictions, 57
 - Segment tree concept, 55
 - Segment tree definition, 55
 - Segment tree design, 57
 - Segmentation
 - features, 55
 - global directives, 72
 - Segmentation tables
 - \$SEGRES, 145
 - overview, 144
 - SDT, 147
 - SLT, 146
 - Segmented load
 - and COMMONS directive, 31
 - and SCOMMONS directive, 31
 - program, definition, 1
 - with duplicated modules, 125
 - example, 125
 - Segmented program, definition, 1
 - SEGORDER directive, overview, 74
 - SET directive, overview, 46
 - SHARED allocation scheme, overview, 98
 - Shared text program, 97
 - creation, 97
 - generation, 6
 - Shared-text allocation scheme
 - advantages, 99
 - disadvantages, 99
 - SLT, description, 146
 - SLT, definition, 154
 - SLT directive, overview, 72
 - SMODULES directive (global), overview, 30
 - SMODULES directive (segment), overview, 67
 - Soft externals
 - how to convert to, 108
 - how to convert to hard references, 107
 - how to declare, 104–105
 - how to link, 105
 - overview, 103
 - references, 103
 - usage, 106–107
 - usage (figure), 104
 - Soft references, 103
 - Soft references, converting to, 108
 - SOFTREF directive, overview, 108
 - Special purpose program, definition, 154
 - Stack and heap memory, 87, 117
 - STACK directive, 88
 - START directive
 - command line equivalent for, 10, 16
 - overview, 113
 - Subroutine
 - call overhead, overview, 86
 - calling between segments, 59
 - illegal references, diagram, 61
 - SUMMARY message, definition, 138
 - Supported languages, 1
 - Symbolic debugging directives
 - overview, 50, 114
 - SYMBOLS, 50
 - SYMBOLS directive, overview, 50
 - SYSTEM directive, overview, 114
 - System libraries, default, 18
- T**
- Tables
 - \$SEGRES, 145
 - _infoblk, 141
 - Segment Description Table (SDT), 147
 - Segment Linkage Table (SLT), 146
 - TARGET environment variable, 14
 - Termination, of segment description, 65
 - TEXT, DATA, BSS, allocation scheme for memory
 - allocation, 98
 - TITLE directive
 - as segment description directive, 66
 - example, 38
 - overview, 38
 - TMPDIR environment variable, 14
 - Transfer entry point, definition, 154
 - TREE directive, example, 66, 121, 122, 124, 125, 128
 - TREE segment definition directive
 - example, 66
 - overview, 65

Tree structure
 basic example, 121
 figure, 126
 figures, 121, 122
 with expandable common block example, 123
Tree structure, example (figure), 123
Tree trimming, definition, 154
TRIAL directive, overview, 35
TSTACK directive, 89

U

UNICOS
 environment variable processing, 12
 ld(1) command line, 10
 segldr(1) command line, 4
UNSAT directive
 example, 46
 overview, 46
Unsatisfied external reference, definition, 154
Unsatisfied external references, 105
USX directive
 default setting, 18
 overview, 40

W

WARNING message, definition, 138

X

XFER directive
 command line equivalent for, 4, 15
 overview, 44

Z

Zero address, description directives, 115–117
ZEROCOM directive, overview, 116, 117
ZSYMS directive, overview, 115

Reader's Comment Form

Segment Loader (SEGLDR) and 1d Reference Manual

SR-0066 9.0

Your reactions to this manual will help us provide you with better documentation. Please take a moment to complete the following items, and use the blank space for additional comments.

List the operating systems and programming languages you have used and the years of experience with each.

Your experience with Cray Research computer systems: ____ 0-1 year ____ 1-5 year ____ 5+years

How did you use this manual: ____ in a class ____ as a tutorial or introduction ____ as a procedural guide
____ as a reference ____ for troubleshooting ____ other

Please rate this manual on the following criteria:

	Excellent			Poor
Accuracy	4	3	2	1
Appropriateness (correct technical level)	4	3	2	1
Accessibility (ease of finding information)	4	3	2	1
Physical qualities (binding, printing, illustrations)	4	3	2	1
Terminology (correct, consistent, and clear)	4	3	2	1
Number of examples	4	3	2	1
Quality of examples	4	3	2	1
Index	4	3	2	1

Please use the space below for your comments about this manual. Please include general comments about the usefulness of this manual. If you have discovered inaccuracies or omissions, please specify the number of the page on which the problem occurred.

Name _____

Title _____

Company _____

Telephone _____

Today's date _____

Address _____

City _____

State/Country _____

Zip code _____

Electronic mail address _____

Cut along this line

Fold



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES


BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 6184 ST. PAUL, MN

POSTAGE WILL BE PAID BY ADDRESSEE



**ATTN: Software Publications Group
655 LONE OAK DR BLDG F
EAGAN MN 55121-9957**



Fold

Reader's Comment Form

Segment Loader (SEGLDR) and 1d Reference Manual

SR-0066 9.0

Your reactions to this manual will help us provide you with better documentation. Please take a moment to complete the following items, and use the blank space for additional comments.

List the operating systems and programming languages you have used and the years of experience with each.

Your experience with Cray Research computer systems: ____ 0-1 year ____ 1-5 year ____ 5+years

How did you use this manual: ____ in a class ____ as a tutorial or introduction ____ as a procedural guide
____ as a reference ____ for troubleshooting ____ other

Please rate this manual on the following criteria:

	Excellent			Poor
Accuracy	4	3	2	1
Appropriateness (correct technical level)	4	3	2	1
Accessibility (ease of finding information)	4	3	2	1
Physical qualities (binding, printing, illustrations)	4	3	2	1
Terminology (correct, consistent, and clear)	4	3	2	1
Number of examples	4	3	2	1
Quality of examples	4	3	2	1
Index	4	3	2	1

Please use the space below for your comments about this manual. Please include general comments about the usefulness of this manual. If you have discovered inaccuracies or omissions, please specify the number of the page on which the problem occurred.

Name _____

Title _____

Company _____

Telephone _____

Today's date _____

Address _____

City _____

State/Country _____

Zip code _____

Electronic mail address _____

Cut along this line

Fold



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES


BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 6184 ST. PAUL, MN

POSTAGE WILL BE PAID BY ADDRESSEE



ATTN: Software Publications Group
655 LONE OAK DR BLDG F
EAGAN MN 55121-9957



Fold