

Contents

1. Introduction	1-1
1.1 Hardware supported by UNICOS 9.0	1-1
1.2 Emphasis for the UNICOS 9.0 release	1-1
1.3 Significant enhancements to UNICOS 9.0	1-2
1.4 Content of this release overview	1-4
1.5 Electronic access to this release overview	1-5
1.6 Definitions of margin note terms used in this release overview	1-6
1.7 Reader comments	1-7
2. Software Enhancements	2-1
2.1 New CRAY T90 series supported	2-1
2.1.1 CRAY T90 basic support	2-2
2.1.2 CRAY T90 scalar cache support	2-3
2.1.3 CRAY T90 shared memory	2-4
2.1.4 NQS shared memory supported	2-5
2.1.5 UDB supports CRAY T90 shared memory	2-6
2.1.6 CRAY T90 programming support	2-6
2.1.7 Maintenance interfaces supported	2-7
2.1.8 CRAY T90 support channel	2-7
2.1.9 CRAY T90 configuration tools on the support system (OWS)	2-8
2.2 CRAY J90 series supported	2-8
2.3 Support for new peripheral devices	2-9
2.3.1 ESCON channel supported	2-9
2.3.2 IBM 3495[and IBM 3494 autoloaders supported	2-10
2.3.3 SI-3 controller supported on CRAY J90 series and CRAY EL series	2-11
2.3.4 DD-6S (9 Gbyte) disk drive support added for CRAY J90 series	2-11
2.3.5 Network Disk Array supported on CRAY J90 series and CRAY EL series	2-12

2.3.6	CREMS/ER90 device supported on CRAY EL series	2-12
2.3.7	DD-302 disk device and DA-302 disk array support	2-13
2.3.8	ND40 network disk support	2-13
2.3.9	Support for IPI-3-attached disk and tape storage devices	2-14
2.4	CRAY T3D series support enhancements	2-15
2.4.1	CRAY T3D Phase II I/O enhancements supported	2-15
2.4.2	CRAY T3D Phase III I/O enhancements supported	2-16
2.4.3	MPP system activity monitoring added	2-17
2.5	Network connectivity and communication enhancements	2-18
2.5.1	NQX 2.0 (NQE on UNICOS) supported	2-18
2.5.2	NQS/URM scheduling	2-19
2.5.3	NQS superqueues	2-21
2.5.4	Kerberos RPC server for multiple IP addressed hosts now supported	2-21
2.5.5	Kerberized ftp/ftpd security extensions	2-22
2.5.6	Cray DCE Client Services and Cray DCE DFS Server support	2-22
2.5.7	File Transfer Agent (FTA) IBM block mode support enhanced	2-23
2.5.8	File locking supported	2-24
2.5.9	gated OSPF supported	2-24
2.5.10	New options for route command support gated routing daemon	2-25
2.5.11	spnet command enhanced	2-26
2.5.12	IP multicasting support added	2-26
2.5.13	rcp command enhanced	2-27
2.5.14	BIND 4.9.3.beta9 supported	2-28
2.5.15	crash enhancements for NFS	2-28
2.5.16	Asynchronous Transfer Mode (ATM) technology supported	2-29
2.5.17	ONC+ technology supported	2-30
2.5.17.1	Network Information Service Plus (NIS+) supported	2-30
2.5.17.2	AUTH_KERB RPC authentication supported	2-31
2.5.17.3	AUTH_KERB Kerberized NFS supported	2-31
2.5.17.4	New version of NFS supported	2-32
2.5.17.5	New RPC program number mapper rpcbind(8) supported	2-33
2.5.18	NFS ID mapping conversion	2-34
2.5.19	Increased network connectivity on CRAY J90 and CRAY EL systems	2-34
2.6	User interface, tools, and utilities enhancements	2-35
2.6.1	New chkpnt_util utility added to aid in determining job restartability	2-35

2.6.2	New search options added to man utility	2-35
2.6.3	New option to tar utility for file extraction with archived permissions	2-36
2.6.4	ticksu utility added	2-36
2.6.5	GNU Emacs upgraded to version 19	2-36
2.6.6	define utility added to Docview	2-37
2.6.7	help command improved	2-37
2.6.8	PE time limit options added to limit command	2-37
2.6.9	UNICOS source manager (USM) enhanced	2-38
2.6.10	bc utility from the Free Software Foundation supported	2-39
2.6.11	New whoami utility supported	2-39
2.6.12	Standard shell setuid/setgid script conformance supported	2-40
2.6.13	New tpmnt(1) command -l option argument examines tape contents	2-40
2.7	System calls enhancements	2-41
2.7.1	New unlink2 system call	2-41
2.7.2	New inode-based system calls for locating files and directories	2-41
2.7.3	New lsetattr system call	2-41
2.7.4	access system call using euid supported	2-42
2.7.5	signobdm signal masked	2-42
2.7.6	chkpnt and restart system calls support DFS files	2-42
2.8	UNICOS library enhancements	2-43
2.8.1	String-to-float conversion routine added	2-43
2.8.2	User exit available at program start-up	2-43
2.8.3	New routines for word-oriented memory operations	2-44
2.8.4	Memory manager features	2-44
2.8.5	ER90 block mode support added	2-46
2.9	Operating system enhancements	2-46
2.9.1	UNICOS under UNICOS supported	2-46
2.9.1.1	RAM root file systems	2-47
2.9.1.2	Minimum host CPUs	2-48
2.9.1.3	Maximum guest CPUs	2-48
2.9.1.4	Guest memory allocation retry count	2-49
2.9.1.5	General feature limitations	2-49
2.9.2	Generic data consolidator and front-end formatter added	2-50
2.9.3	New accounting features	2-51
2.9.4	X Window System-based interface added to manage user login accounts	2-52

2.9.5	User database (UDB) enhancements	2-53
2.9.5.1	Clear-text password added to UDB	2-53
2.9.5.2	Per-session sockbuf limit added by using UDB	2-53
2.9.5.3	jsocbfilm supports new per-session sockbuf limit	2-54
2.9.5.4	On-the-fly reset of maximum user ID in UDB	2-54
2.9.5.5	Redesign of the UDB	2-54
2.9.5.6	UDB fair-share scheduler flag holder enforcement added	2-56
2.9.6	Unified Resource Manager (URM) enhancements	2-56
2.9.6.1	URM checkpointing	2-56
2.9.6.2	New URM user job display command	2-57
2.9.6.3	URM capability to change minimum rank of NQS job priority	2-58
2.9.6.4	URM smoothing algorithm enhanced	2-58
2.9.6.5	User exit enhancements to URM	2-59
2.9.6.6	Fair-ratio share policy added to URM	2-59
2.9.6.7	rmgr(1) command accepts lowercase subcommands	2-60
2.9.6.8	URM capability to move log file directory	2-60
2.9.6.9	New urmsnap command for URM	2-60
2.9.7	Fair-share scheduler enhancements	2-61
2.9.7.1	User-level fair-share scheduler mode added	2-61
2.9.7.2	Fair-share shradm(8) command functionality changes	2-62
2.9.7.3	CPU quotas synchronization added	2-62
2.9.7.4	crash command displays shreconst structure	2-63
2.9.8	System activity monitoring enhancements	2-64
2.9.8.1	sam enhanced	2-64
2.9.8.2	sar and tsar enhanced	2-64
2.9.8.3	diskusg command rewritten	2-65
2.9.9	nschedv command supports kernel scheduler enhancement	2-65
2.9.10	New options for dump and restore commands	2-66
2.9.11	crash command enhancements	2-66
2.9.12	Dynamic control of disk recovered errors	2-68
2.9.13	Ability to disable write-behind to a mirrored device	2-69
2.9.14	New hddmon command	2-69
2.9.15	Using a dump partition as a swap device supported	2-69
2.9.16	Tape subsystem enhancements	2-70
2.9.16.1	Character-special tape interface support added	2-70
2.9.16.2	Unstructured access to tape hardware supported	2-71
2.9.16.3	Dynamic device group reassignment supported	2-71
2.9.17	tplist utility supports Cray/REELlibrarian	2-72
2.9.18	IPI support enhancements	2-72
2.9.18.1	ipi3_clear command options added	2-72
2.9.18.2	IOP-level control of IPI-3 and IPI packet drivers added	2-73
2.9.19	Dynamic allocation of file descriptors supported	2-73

2.9.20	File system enhancements	2-74
2.9.20.1	Default number of primary partitions in a file system set to 4	2-74
2.9.20.2	File system scrub added	2-75
2.9.21	UNICOS Shared File System (SFS) support	2-75
2.9.22	Excess user errors controlled	2-76
2.9.23	Dynamic allocation of the NPBUF parameter added	2-77
2.9.24	Ill-formed I/O split into physical and buffered chunks	2-77
2.9.25	IPC semaphores and message queues supported	2-78
2.10	XPG4 compliance	2-79
2.10.1	XPG4 compatibility added	2-80
2.10.2	Utilities now use XPG4-conformant message system	2-80
2.10.3	Locale definition and library routines supported	2-80
2.10.4	XPG4 standard I/O internationalization supported	2-81
2.10.5	User commands in compliance with XPG4	2-81
2.10.6	System calls in compliance with XPG4	2-86
2.10.7	Library routines in compliance with XPG4	2-88
2.10.8	External variables comply with XPG4	2-97
2.11	POSIX threads (Pthreads) supported	2-97
2.12	Installation enhancements	2-100
2.12.1	X Window System interface to the menu system supported	2-100
2.12.2	CD-ROM supported for UNICOS upgrades, revisions, and updates	2-101
2.12.3	Configuration conversion for restricted releases supported	2-101
2.12.4	Using ldcache during system builds	2-101
2.13	Online diagnostics	2-102
2.13.1	Enhancements to ddms	2-102
2.13.2	New OLNET FDR-4 test	2-103
3.	Compatibilities and Differences	3-1
3.1	Compatibility statement	3-1
3.2	Selected hardware support withdrawn	3-2
3.2.1	Removal of IOS model D support	3-3
3.3	StorageTek support changes	3-4

3.3.1	ACSL5 5.0 required	3-4
3.3.2	Order CRSTK/STKRED	3-5
3.3.3	New cmd/c1/tp/stkacs subdirectory	3-5
3.4	Networking and communications	3-5
3.4.1	Compatibility concerns for NQS, NQE, and FTA	3-5
3.4.1.1	NQS changes	3-6
3.4.1.2	qdump/qload utility scripts not required for NQS 9.0	3-7
3.4.1.3	NQS and FTA compatibility concerns	3-9
3-9	3.4.1.3.1 /etc/nqeinfo added for NQS and FTA configuration	
3-9	3.4.1.3.2 NQS qstart and qstop commands location	
3-9	3.4.1.3.3 NQS qstart and qstop commands source	
3.4.1.4	NQE job dependency support for UNICOS 9.0 systems	3-10
3.4.1.5	Compatibilty between NQX and NQE 1.x and NQX 2.0 NLB master server	3-10
3.4.1.6	cqstat display now prompts for password	3-11
3.4.1.7	Final release supporting the NQS config.h file	3-11
3.4.2	New format for the gated.conf file	3-11
3.4.3	route command -C option removed	3-12
3.4.4	BGP, EGP, and HELLO protocols no longer supported with gated	3-12
3.4.5	Integrated DCE login	3-12
3.4.6	DECnet application no longer supported on CRAY EL systems	3-13
3.4.7	HYPERchannel no longer supported on CRAY EL systems	3-13
3.4.8	Final release supporting USCP and Stations	3-14
3.4.9	Final release supporting OSI	3-14
3.4.10	Final release supporting netmon, xnetmon, and xsnmpmon networking tools	3-14
3.4.11	UNICOS 9.2 is final release supporting full X11 clients	3-15
3.4.12	New dnsquery command for domain name servers	3-16
3.5	User interface, tools, commands, and utilities	3-16
3.5.1	UNICOS tools and libraries moved to the programming environment	3-16
3.5.2	Standard shell ability to execute setuid and setgid scripts removed	3-17
3.5.3	New search options added to man utility, obsolete section title option	3-18
3.5.4	New scanit command for CRAY J90 scalar cache use	3-18
3.5.5	Checkpoint/restart incompatibility	3-18
3.5.6	New bc utility replaces previous bc and dc utilities	3-19
3.5.7	The make command sends .f and .F files directly to cf77	3-20
3.5.8	sar utility changes	3-21

3.5.9	Support removed for several UNICOS utilities	3-21
3.5.10	Support removed for nupdate utility	3-22
3.5.11	GNU Emacs upgraded to Emacs-19.28	3-22
3.5.11.1	Defining keys for editing functions	3-23
3.5.11.2	New GNU utilities	3-23
3.5.12	UNICOS 9.0 and SecurID version 2.3 dependency	3-23
3.5.13	UNICOS 9.0 and SMARTE 5.0 dependency	3-24
3.5.14	Final release including the Docview utilities	3-24
3.5.15	Final release supporting the process monitor, xproc	3-24
3.5.16	Final release supporting the file manager, xfm	3-25
3.5.17	diskmap man page renamed to be diskspec	3-25
3.5.18	UNICOS 9.2 to package CAL with programming environment	3-25
3.6	System calls	3-26
3.6.1	sigctl system call functionality restricted	3-26
3.6.2	acctctl accounting system call replaces acct and dacct system calls	3-27
3.6.3	limits system call functionality changes with addition of policy system call	3-27
3.7	Libraries	3-27
3.7.1	UDB library changes	3-27
3.7.2	Changes to memory manager routines	3-28
3.8	Operating system	3-29
3.8.1	UNICOS non-MLS and MLS systems to be merged as of UNICOS 10.0 release	3-29
3.8.2	gencat utility renamed to be mfsck	3-30
3.8.3	Fair-share scheduler differences	3-30
3.8.4	Programming considerations for dynamic allocation of file descriptors	3-31
3.8.5	Default number of current primary partitions changed	3-32
3.8.6	UDB files	3-33
3.8.7	New relasync command added	3-33
3.8.8	dodisk mail output removed	3-34
3.8.9	UNICOS SFS esdaemon command replaced by sfsd command	3-34
3.8.10	Character-special tape interface node 43 (ddal) support removed	3-34
3.8.11	UNICOS tape subsystem becomes a separate product at UNICOS 10.0	3-34
3.8.12	UNICOS 8.0 release support ending	3-35
3.8.13	mtdump and segldr packaging change	3-35
3.9	XPG4 compliance	3-36

3.9.1	Function prototypes changed for compliance with XPG4	3-36
3.9.2	XPG4 utilities now use compliant message system	3-38
3.9.3	gencat and catgen utilities renamed for compliance with XPG4	3-38
3.9.4	Commands changed for compliance with XPG4	3-39
3.9.5	locale definition support removed for compliance with XPG4	3-46
3.10	POSIX Threads (Pthreads) support	3-47
3.10.1	Multitasked process model changes	3-47
3.10.2	Multitasked signal changes	3-48
3.11	Installation	3-51
3.11.1	Installation and configuration tool interface changes	3-51
3.11.2	USM version restriction	3-51
3.11.3	Media support for UNICOS 9.1 limited to CD-ROM	3-52
3.12	Online diagnostics	3-52
3.12.1	olsbt limits CPU selection	3-52
3.12.2	olefdt disk test support removed	3-52
3.12.3	OLNET support removed for CRAY EL series	3-53
3.12.4	Final major release supporting olnet for HiPPI and FDDI	3-53
3.13	Disk and Memory Requirements	3-54
3.13.1	Disk requirements	3-54
3.13.2	Memory requirements	3-54
4.	Multilevel Security	4-1
4.1	Change in the definition of Trusted UNICOS	4-1
4.2	MLS software enhancements	4-2
4.2.1	New functionality for ia_user library routine	4-2
4.2.2	MAC read policy restricts pipes	4-2
4.2.3	pathname routine added	4-3
4.2.4	FSETID_RESTRICT configuration option changed	4-3
4.2.5	SLG_TRUST record changed	4-4
4.2.6	Security log daemon changed	4-4
4.2.7	MLS support for CRAY T3D systems added	4-5
4.2.8	UNIX System V IPC MLS supported	4-5

4.2.9	New utilities added to the trusted computing base (TCB)	4-6
4.2.10	privcmd command enhanced	4-7
4.2.11	New MLS field added to the user database (UDB)	4-8
4.2.12	Trusted tape access with Cray/REELlibrarian changed	4-8
4.3	MLS compatibility issues	4-9
4.3.1	Support for the -u option of the pr command dropped	4-9
4.3.2	NQX not supported on UNICOS MLS/Trusted UNICOS systems	4-10
4.3.3	Cray Research publication SN-2133 no longer supported	4-10
4.3.4	Future direction of UNICOS multilevel security (MLS)	4-10
4.3.4.1	UNICOS non-MLS and MLS systems to be merged	4-11
4.3.4.2	PRIV_TFM configuration option to be removed	4-12
4.3.4.3	Trusted UNICOS configuration option to be removed	4-14
4.3.4.4	Supported system management configurations in UNICOS 10.0	4-15
4.3.4.5	Reduction of security-related configuration options	4-16
4.3.4.6	Default value of the FSETID_RESTRICT configuration parameter to be changed ..	4-18
4.3.4.7	MLS documentation changes	4-18
4.3.5	Changes to su password use for system administrators	4-18
5.	Documentation	5-1
5.1	New publications	5-2
5.1.1	Reorganized system administration set	5-4
5.1.2	Renamed and reclassified publications	5-6
5.2	Publications no longer supporting the UNICOS release package	5-7
5.2.1	Publications now included in programming environment releases	5-7
5.2.2	Publications now included in the support system and IOS-E release	5-9
5.2.3	Publications no longer supported	5-9
5.3	Online documentation for UNICOS 9.0	5-9
5.3.1	CrayDoc	5-10
5.3.1.1	What is CrayDoc?	5-10
5.3.1.2	UNICOS 9.0 release publications distributed through CrayDoc	5-11
5.3.2	Docview	5-13
5.3.3	Man pages	5-15
5.3.4	Release overview distribution	5-17
5.4	Printed documentation available for the UNICOS release	5-17

5.4.1	Core set of documentation included with the release package	5-17
5.4.2	Additional documents available for purchase	5-19
5.4.3	Publications ordering information	5-22
6.	Customer Services	6-1
6.1	Training support	6-1
6.2	Software problem reporting and resolution process	6-2
6.3	Cray Research CRInform system	6-2
7.	Release Package	7-1
7.1	UNICOS 9.0 hardware and software requirements	7-1
7.1.1	Cray Research systems supported with this release package	7-1
7.1.2	OWS and IOS-E software	7-2
7.1.3	Fortran run-time libraries	7-2
7.1.4	Tested and supported upgrade paths	7-2
7.1.5	Cray Research software products supported with this release package	7-3
7.1.5.1	Programming environments supported with this release package	7-3
7.1.5.2	Other software supported with this release package	7-4
7.2	Licensing information	7-5
7.2.1	UNICOS source code license	7-6
7.2.2	UNICOS binary code license	7-7
7.2.3	Separately licensed products	7-8
7.2.3.1	NQX software	7-8
7.2.3.2	ONC+ technology	7-9
7.2.3.3	UNICOS shared file systems	7-9
7.2.3.4	StorageTek Autoloader Cartridge Systems (ACS) support	7-9
7.2.3.5	IBM 3495/IBM 3494	7-9
7.2.3.6	EMASS robotic and ER90 device support	7-10
7.2.4	Licensing contacts for customers in the U.S. and Canada	7-10
7.2.5	Licensing contacts for customers outside the U.S. and Canada	7-10
7.2.5.1	Cray European Regional Contract Administrators	7-11
7.2.5.2	Cray Japan Contract Administrator	7-11
7.2.5.3	Other customers	7-12
7.3	Optional software orderable with UNICOS 9.0 release package	7-12

7.3.1 Kerberos Enigma software	7-12
7.3.1.1 Kerberos Enigma software shipped within the U. S. and Canada	7-13
7.3.1.2 Kerberos Enigma software shipped outside of the U.S. or Canada	7-13
7.3.2 DWB	7-14
7.4 Release package contents	7-14
7.5 Release package ordering information	7-15
Index	I-1